

AmphiColor Vollton- und Abtönfarbe Grün				
Version	Revision Date:	SDS Number:	Date of last issue: 13.01.2023	
3.0	20.10.2023	6000111	Date of first issue: 11.12.2019	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier					
Trade name	:	AmphiColor Vollton- und Abtönfarbe Grün			
1.2 Relevant identified uses of t	he s	substance or mixture and uses advised against			
Use of the Sub- stance/Mixture	:	Water-borne coatings			
Recommended restrictions on use	:	within adequate application - none			
1.3 Details of the supplier of the safety data sheet					
Company	:	Caparol Farben Lacke GmbH Roßdörfer Straße 50			

Telephone Telefax	Roßdörfer Straße 50 64372 Ober-Ramstadt : +496154710 : +4961547170222
Website E-mail address Responsi- ble/issuing person	: : msds@dr-rmi.com

1.4 Emergency telephone

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.		

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Amp	AmphiColor Vollton- und Abtönfarbe Grün				
Versior 3.0	n Revision Date: 20.10.2023		DS Number: 000111	Date of last issue: 13.01.2023 Date of first issue: 11.12.2019	
Hazard pictograms		:			
Si	gnal Word	:	Warning		
Hazard Statements		:	H317 May cau	se an allergic skin reaction.	
Precautionary Statements		:	label at hand.	al advice is needed, have product container or to freach of children.	
				eathing mist or vapors. otective gloves.	
			Response: P302 + P352	F ON SKIN: Wash with plenty of water.	
			Disposal: P501 Dispose disposal plant.	of contents/ container to an approved waste	

Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

Color

:



AmphiColor Vollton- und Abtönfarbe Grün

Version	Revision Date:	SDS Number:	Date of last issue: 13.01.2023
3.0	20.10.2023	6000111	Date of first issue: 11.12.2019

Components

Components		Oleccification	O an a set tration
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 0,1 - < 1
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 ————— M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 ————————————————————————————————————	>= 0,0025 - < 0,025
2-methylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 0,0025 - < 0,025

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AmphiColor Vollton- und Abtönfarbe Grün SDS Number: Version Revision Date: Date of last issue: 13.01.2023 20.10.2023 6000111 Date of first issue: 11.12.2019 3.0 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % Acute Tox. 3; H301 >= 0,0002 - < reaction mass of 5-chloro-2-55965-84-9 methyl-2H-isothiazol-3-one and 2-Acute Tox. 2; H330 0,0015 methyl-2H-isothiazol-3-one (3:1) 613-167-00-5 Acute Tox. 2; H310 01-2120764691-48 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Corr. 1C; H314 >= 0.6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 % Substances with a workplace exposure limit : barium sulfate 7727-43-7 >= 1 - < 10 231-784-4 01-2119491274-35 kaolin 1332-58-7 >= 1 - < 10 310-194-1

For explanation of abbreviations see section 16.



AmphiColor Vollton- und Abtönfarbe Grün

Version	Revision Date:	SDS Number:	Date of last issue: 13.01.2023
3.0	20.10.2023	6000111	Date of first issue: 11.12.2019

SECTION 4: First aid measures

4.1 Description of first-aid measures					
General advice	 Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself. 				
If inhaled	: Move to fresh air.				
In case of skin contact	: Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.				
In case of eye contact	: If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
If swallowed	 Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting. 				
4.2 Most important symptoms an	nd effects, both acute and delayed				
Risks : May cause an allergic skin reaction.					
4.3 Indication of any immediate n	medical attention and special treatment needed				
Treatment	: No information available.				
SECTION 5: Firefighting measures					
5.1 Extinguishing media					
Suitable extinguishing media	 Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. 				

Do not use a solid water stream as it may scatter and spread fire.

Unsuitable extinguishing	:	None known.
media		



An	AmphiColor Vollton- und Abtönfarbe Grün					
Vers	sion Revision Da	ate: SE	OS Number:	Date of last issue: 13.01.2023		
3.0	20.10.2023	60	000111	Date of first issue: 11.12.2019		
5.2	5.2 Special hazards arising from the substance or mixture					
	Specific hazards during fire : In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).			:		
5.3	Advice for firefighte	ers				
	Special protective e for fire-fighters	quipment :	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-		
	Further information	:	: Standard procedure for chemical fires. The product itself does not burn.			

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.	
6.2 Environmental precautions			
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.	

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.



Amph	iColor Vollton- u	nd	Abtönfarbe	Grün	
Version 3.0	Revision Date: 20.10.2023		DS Number: 00111	Date of last issue: 13.01.2023 Date of first issue: 11.12.2019	
Hygi	ene measures	:	: Wash hands before eating, drinking, or smoking. Do not eadrink or smoke when using this product. Remove contamined clothing and protective equipment before entering eatinareas.		
7.2 Cond	litions for safe storage,	inc	luding any incom	patibilities	
	uirements for storage s and containers	:	in heat or direct s original container	en. To maintain product quality, do not store unlight. Store at room temperature in the . Containers which are opened must be care- d kept upright to prevent leakage.	
Advi	ce on common storage	:	Keep away from materials.	oxidizing agents and strongly acid or alkaline	
Stor	age class (TRGS 510)	:	12		
-	ific end use(s) cific use(s)	:	This information i	s not available.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
barium sulfate 7727-43-		AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900	
	Peak-limit cat	egory: 2;(II)			
			compliance with the OEL ar f harming the unborn child	nd biological	
		AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900	
	Peak-limit category: 2;(II) Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527	
kaolin	1332-58-7	TWA (Respirable dust)	0,1 mg/m3	2004/37/EC	
	Further information: Carcinogens or mutagens				
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AmphiColor Vollton- und Abtönfarbe Grün

/p			e ei aii
Version	Revision Date:	SDS Number:	Date of last issue: 13.01.2023
3.0	20.10.2023	6000111	Date of first issue: 11.12.2019

diameter ≤ 10 µm]							
	Peak-limit cat	Peak-limit category: 2;(II)					
	Further inform	nation: When there is	compliance with the OEL ar	nd biological			
	tolerance valu	ies, there is no risk c	f harming the unborn child	-			
		AGW (Alveolate	1,25 mg/m3	DE TRGS			
		fraction)	(Titanium dioxide)	900			
	Peak-limit category: 2;(II)						
	Further information: When there is compliance with the OEL and biological						
	tolerance values, there is no risk of harming the unborn child						
		BM (Alveolar	0,5 mg/m3	DE TRGS			
		dust fraction)		527			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	
barium sulfate	Consumers	Inhalation	Long-term systemic	10,00 mg/m3
			effects	
	Consumers	Ingestion	Long-term systemic	13000,00
		3	effects	mg/kg bw/day
	Workers	Inhalation	Long-term systemic	10,00 mg/m3
	WOIKEIS	Innalation	effects	10,00 mg/m3
	Workers	Inhalation	Long-term local ef-	10,00 mg/m3
			fects	
polychloro copper	Consumers	Skin contact	Long-term systemic	225,00 mg/kg
phthalocyanine			effects	bw/day
	Consumers	Ingestion	Long-term systemic	45,00 mg/kg
	Concurrence	ingeotion	effects	bw/day
	Workers	Inhalation	Long-term systemic	4,00 mg/m3
	VUIKEIS	Innalation	•	4,00 mg/ms
			effects	450.00 //
	Workers	Skin contact	Long-term systemic	450,00 mg/kg
			effects	bw/day
titanium dioxide; [in	Consumers	Ingestion	Long-term systemic	700,00 mg/kg
powder form contain-			effects	bw/day
ing 1 % or more of				,
particles with aerody-				
namic diameter ≤ 10				
µm]	Markara	Inholotion		
	Workers	Inhalation	Long-term local ef-	10,00 mg/m3
			fects	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
barium sulfate	Fresh water	115 µg/l
	Fresh water sediment	600,4 mg/kg dry
		weight (d.w.)
	Soil	207,7 mg/kg dry
		weight (d.w.)
	Sewage treatment plant	62,2 mg/l
polychloro copper phthalocya-	Soil	1 mg/kg dry



AmphiColor Vollton- und Abtönfarbe Grün

ersion	Revision Date: 20.10.2023	SDS Number: 6000111	Date of last issue: Date of first issue:	
nine				weight (d.w.)
		Fresh water	sediment	10 mg/kg dry weight (d.w.)
		Sea sedimer	nt	1 mg/kg dry weight (d.w.)
conta cles v	titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 μm]		tment plant	100 mg/l
		Fresh water		0,184 mg/l
		Soil		100 mg/kg dry weight (d.w.)
		Sea water		0,0184 mg/l
		Fresh water	sediment	1000 mg/kg dry weight (d.w.)
		Sea sedimer	nt	100 mg/kg dry weight (d.w.)
		Intermittent u	una/ralanna	0,193 mg/l

8.2 Exposure controls

Personal protective equipment					
Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection			
		Goggles			
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3			
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves			
Skin and body protection	:	Safety shoes Long sleeved clothing			
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.			
		Skin should be washed after contact.			
		Remove and wash contaminated clothing before re-use. During spray application: impervious clothing			
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.			



AmphiColor Vollton- und Abtönfarbe Grün

Version	Revision Date:	SDS Number:	Date of last issue: 13.01.2023	
3.0	20.10.2023	6000111	Date of first issue: 11.12.2019	

DGUV Regulation 112-190 - Use of breathing equipment

During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	green
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8 - 9 Concentration: 100 %
Viscosity Viscosity, dynamic	:	No data available



Amphi Version 3.0	Color Vollton- Revision Date: 20.10.2023	und Abtönfar SDS Number: 6000111	be Grün Date of last issue: 13.01.2023 Date of first issue: 11.12.2019	
	bility(ies) /ater solubility	: completely	miscible	
Partition coefficient: n- octanol/water		: Not applical	ble	
Vapo	r pressure	: ca. 23,4 hP	a (20 °C)	
Relat	ive density	: not determin	ned	
Dens	ity	: 1,2970 g/cn	n3	
Relat	ive vapor density	: Not applical	ble	
	information osives	: Not applical	ble	
Oxidi	zing properties	: Not applical	ble	
Flam	mability (liquids)	: The produc	t is not flammable.	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	Protect from frost, heat and sunlight.
---------------------	---	--

10.5 Incompatible materials



AmphiColor Vollton- und Abtönfarbe Grün

Version	Revision Date: 20.10.2023	SDS Number:	Date of last issue: 13.01.2023
3.0		6000111	Date of first issue: 11.12.2019

Materials to avoid

: Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one):
A outo oral taxiaity	

Acute oral toxicity :	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity :	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity :	LD50 (Rat): > 2.000 mg/kg
2-methylisothiazol-3(2H)-one:	
Acute oral toxicity :	LD50 (Rat): 120 mg/kg
Acute inhalation toxicity :	LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist
reaction mass of 5-chloro-2-m (3:1):	ethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
Acute oral toxicity :	LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity :	LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403

Skin corrosion/irritation

Not classified based on available information.



AmphiColor Vollton- und Abtönfarbe Grün

Version	Revision Date:	SDS Number:	Date of last issue: 13.01.2023
3.0	20.10.2023	6000111	Date of first issue: 11.12.2019

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203



An	nphiC	olor Vollton- ur	۱d	Abtönfarbe (Grün
	sion	Revision Date: 20.10.2023	SE	OS Number: 00111	Date of last issue: 13.01.2023 Date of first issue: 11.12.2019
	Toxicity to daphnia and other aquatic invertebrates		:	EC50 (Daphnia): Exposure time: 48 Method: OECD T	3 h
	Toxicity to algae/aquatic plants		:	EC50 (Selenastru Exposure time: 72 Method: OECD T	
	M-Facto icity)	or (Acute aquatic tox-	:	1	
	M-Factor toxicity)	or (Chronic aquatic	:	1	
	2-meth	ylisothiazol-3(2H)-on	e:		
			:	10	
	M-Factor toxicity)	or (Chronic aquatic	:	1	
	reactio (3:1):	n mass of 5-chloro-2	-me	thyl-2H-isothiazo	I-3-one and 2-methyl-2H-isothiazol-3-one
	M-Facto icity)	or (Acute aquatic tox-	:	100	
	M-Factor toxicity)	or (Chronic aquatic	:	100	
	barium	sulfate:			
	Toxicity		:	Remarks: No toxi	city at the limit of solubility.
		to daphnia and other invertebrates	:	Remarks: No toxi	city at the limit of solubility.
	Toxicity plants	v to algae/aquatic	:	Remarks: No toxi	city at the limit of solubility.
	Toxicity icity)	to fish (Chronic tox-	:	Remarks: No toxi	city at the limit of solubility.
		to daphnia and other invertebrates (Chron- ty)	:	Remarks: No toxi	city at the limit of solubility.



/ersion 3.0	Revision Date: 20.10.2023	SDS Number: 6000111	Date of last issue: 13.01.2023 Date of first issue: 11.12.2019
	istence and degradab ata available	ility	
2.3 Bioa	ccumulative potential		
<u>Com</u>	ponents:		
1,2-b	enzisothiazol-3(2H)-oi	ne:	
	ion coefficient: n- ol/water	: log Pow: 0,63 - pH: 7	0,76
2-me	thylisothiazol-3(2H)-o	ne:	
	ion coefficient: n- ol/water	: log Pow: -0,486 pH: 7	6 (25 °C)
react (3:1):		2-methyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one
	ion coefficient: n- ol/water	: log Pow: <= 0,7 Method: OECD	75 9 Test Guideline 117
2.4 Mobi	ility in soil		
No da	ata available		
2.5 Resu	Ilts of PBT and vPvB a	assessment	
<u>Prod</u>	uct:		
Asse	ssment	to be either per	/mixture contains no components considered sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
2.6 Endo	ocrine disrupting prop	erties	
Prod	uct:		
Asse	ssment	ered to have er REACH Article	/mixture does not contain components consid ndocrine disrupting properties according to 57(f) or Commission Delegated regulation 0 or Commission Regulation (EU) 2018/605 a or higher.
2.7 Othe	r adverse effects		
Prod	uct:		



AmphiColor Vollton- und Abtönfarbe GrünVersionRevision Date:SDS Number:Date of last issue: 13.01.20233.020.10.20236000111Date of first issue: 11.12.2019

SECTION 13: Disposal considerations

13.1 Waste treatment methods

1 .1 1			
Pr	oduct	:	
			Waste should not be disposed of via wastewater.
Co	ontaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Wa	aste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADN	:	Not regulated as a dangerous good
		40/00



Version	Revision Date:	SDS Number:	Date of last issue: 13.01.2023
3.0	20.10.2023	6000111	Date of first issue: 11.12.2019
		Net see let	
ADR		: Not regulate	ed as a dangerous good
RID		: Not regulate	ed as a dangerous good
IMDG	ì	: Not regulate	ed as a dangerous good
ΙΑΤΑ	(Cargo)	: Not regulate	ed as a dangerous good
ΙΑΤΑ	(Passenger)	: Not regulate	ed as a dangerous good
14.5 Envi	ronmental hazards		
Not re	egulated as a dangero	us good	
14.6 Spec	ial precautions for u	ser	
Rema	arks	: Not classifie lations.	ed as dangerous in the meaning of transport regu-

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
		If you intend to use this product as tattoo ink, please contact your ven- dor.
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	None



AmphiColor Vollton- und Abtönfarbe Grün

Version	Revision Date:	SDS Number:	Date of last issue: 13.01.2023
3.0	20.10.2023	6000111	Date of first issue: 11.12.2019

Seveso III: Directive 2012/18/8 pean Parliament and of the Co control of major-accident haza dangerous substances.	EU oun ards	of the Euro- Not applicable cil on the involving
Water hazard class (Germa- ny)	:	WGK 1 slightly water endangering Classification according to AwSV, Annex 1 (5.2)
Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01 %
Volatile organic compounds	:	Directive 2004/42/EC < 0.1 % < 1 g/l

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H330 :	Fatal if inhaled.
H351 :	Suspected of causing cancer if inhaled.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H411 :	Toxic to aquatic life with long lasting effects.
EUH071 :	Corrosive to the respiratory tract.

Full text of other abbreviations



AmphiColor Vollton- und Abtönfarbe Grün

Version 3.0	Revision Date: 20.10.2023	SDS Number: 6000111	Date of last issue: 13.01.2023 Date of first issue: 11.12.2019	
•	c Acute c Chronic am. orr. rit.	Long-term (c Carcinogenic Serious eye Skin corrosic Skin irritation	acute) aquatic hazard hronic) aquatic hazard city damage on	
2004/3 DE TR DE TR 2004/3 DE TR		 Europe. Dire from the risks at work Germany. TF Germany. TF Long term ex Assessment 	Skin sensitization Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values. Long term exposure limit Assessment scale Time Weighted Average	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; (ENS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of 50% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemi cal Substances; (Q)XAR - (Quantit

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials



AmphiColor Vollton- und Abtönfarbe Grün

Version	Revision Date:	SDS Number:	Date of last issue: 13.01.2023
3.0	20.10.2023	6000111	Date of first issue: 11.12.2019

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the m	ixture:	Classification procedure:
Skin Sens. 1	H317	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments. Regarding to the REACH regulation we would like to point out that DAW as a downstream user

will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN