

Version	Revision Date:	Print Date	Date of last issue: 22.10.2020
2.0	27.11.2020	01.12.2020	Date of first issue: 10.12.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	FibroSil	
1.2 Relevant identified uses of the	he si	ubstance or mixture and uses advised against	
Use of the Sub- stance/Mixture		Water-borne coatings	
Recommended restrictions on use	:	within adequate application - none	
1.3 Details of the supplier of the	safe	etv data sheet	
Company		Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt	
Telephone		+496154710	
Telefax		+4961547170222	
E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com	
1.4 Emergency telephone numb	er		
Emergency telephone num- ber 1	:	+49613284463 GBK GmbH	
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008) Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.			
2.2 Label elements			
Labelling (REGULATION (E	C) N	o 1272/2008)	
Hazard pictograms	:		
Signal word	: \	Warning	
Hazard statements	: 1	H317 May cause an allergic skin reaction.	
		1 / 16	



Version 2.0	Revision Date: 27.11.2020	Print Date 01.12.2020	Date of last issue: 22.10.2020 Date of first issue: 10.12.2019	

Precautionary statements	:	P101 If medical advice is needed, have product container or label at hand.P102 Keep out of reach of children.
		Prevention:
		P262 Do not get in eyes, on skin, or on clothing.P280 Wear protective gloves/ eye protection.
		Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

Hazardous components which must be listed on the label:

```
1,2-benzisothiazol-3(2H)-one
2-methylisothiazol-3(2H)-one
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
(3:1)
```

Additional Labelling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Emulsion paint, aqueous

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
titanium dioxide	13463-67-7	Carc. 2; H351	>= 1 - < 10
	236-675-5		
	022-006-00-2		
	01-2119489379-17		
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,0025 - <
	220-120-9	Skin Irrit. 2; H315	0,025
	613-088-00-6	Eye Dam. 1; H318	
	01-2120761540-60	Skin Sens. 1; H317	
		Aquatic Acute 1;	



rsion			Date of last issue: 22.10.2020 Date of first issue: 10.12.2019	
			H400 Aquatic Chronic 2; H411 <u>Acute Tox. 2; H330</u> M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic	
2-me	thylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-5	Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic	>= 0,0025 0,025
meth	ion mass of 5-chloro-2- yl-2H-isothiazol-3-one and yl-2H-isothiazol-3-one (3:1)		aquatic toxicity): 1Acute Tox. 3; H301Acute Tox. 2; H330Acute Tox. 2; H31048Skin Corr. 1C; H314Eye Dam. 1; H318Skin Sens. 1A; H317Aquatic Acute 1;H400Aquatic Chronic 1;H410M-Factor (Acuteaquatic toxicity): 100M-Factor (Chronicaquatic toxicity): 100	>= 0,0002 0,0015
Subs	tances with a workplace ex	posure limit :		
Quart	tz (SiO2)	14808-60-7 238-878-4 01-2120770509-4	45	>= 10 - < 2
Kiese	elguhr, soda ash flux-calcin			>= 1 - < 1

For explanation of abbreviations see section 16.



Version	Revision Date:	Print Date	Date of last issue: 22.10.2020
2.0	27.11.2020	01.12.2020	Date of first issue: 10.12.2019

SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.		
If inhaled	:	Move to fresh air.		
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.		
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.		

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment
- : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Unsuitable extinguishing None known. : media 5.2 Special hazards arising from the substance or mixture Specific hazards during fire-In case of fire hazardous decomposition products may be : fighting produced such as:



Version	Revision Date:	Print Date	Date of last issue: 22.10.2020
2.0	27.11.2020	01.12.2020	Date of first issue: 10.12.2019

5.3 Advice for firefighters

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Standard procedure for chemical fires. The product itself does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.

6.2 Environmental precautions

Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
		Do not nush into sunace water or samilary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. ,For personal protection see section 8.,For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product.



VersionRevision Date:Print DateDate of last issue: 22.10.20202.027.11.202001.12.2020Date of first issue: 10.12.2019	
---	--

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510)	:	12, Non Combustible Liquids
7.3 Specific end use(s) Specific use(s)	:	This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis			
		of exposure)					
Quartz (SiO2)	14808-60-7	TWA (Respirable	0,1 mg/m3	2004/37/EC			
		dust)					
	Further inform	Further information: Carcinogens or mutagens					
titanium dioxide	13463-67-7	AGW (Inhalable	10 mg/m3	DE TRGS			
		fraction)	(Titanium dioxide)	900			
	Peak-limit: ex	cursion factor (categ	ory): 2;(II)				
		AGW (Alveolate	1,25 mg/m3	DE TRGS			
		fraction)	(Titanium dioxide)	900			
	Peak-limit: excursion factor (category): 2;(II)						
Kieselguhr, soda	68855-54-9	AGW (Alveolate	0,3 mg/m3	DE TRGS			
ash flux-calcined		fraction)	-	900			
Further information: When there is compliance with the OEL and			nd biological				
	tolerance valu	ies, there is no risk c	of harming the unborn child, I	Diatomeous			
	earth can, dep	pending on its origin,	contain quartz. The calcinin	g of silica leads			
	to a higher content of cristobalite, activated silica can contain up to 60 vol.%						
cristobalite. In examining the exposure to (calcined) silica both the amorpho							
	part (limit value for diatomeous earth resp. calcined silica) and the total of the						
	cristobalite and quartz content (carcinogenic according to TRGS 906) should						
	be established	be established., Senate commission for the review of compounds at the work					
	place dangero	ous for the health (M	AK-commission).				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	· ·		<u>, ,</u>	
Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
titanium dioxide	Consumers	Ingestion	Long-term systemic	700,00 mg/kg
			effects	bw/day



Ver 2.0	sion	Revision Date: 27.11.2020	=	Print DateDate of last issue: 22.10.202001.12.2020Date of first issue: 10.12.2019		
			Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
	Kieselg flux-cal	juhr, soda ash Icined	Consumers	Ingestion	Long-term systemic effects	18,70 mg/kg bw/day
			Consumers	Inhalation	Long-term systemic effects	0,05 mg/m3
			Workers	Inhalation	Long-term systemic effects	0,05 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Marine water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Marine sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l
Kieselguhr, soda ash flux- calcined	Sewage treatment plant	100 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection	:	German trade association rules - BGR 192 Eye protection	
		Goggles	
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3	
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. German trade association leaflet: Carry gloves (ZH 1/706)	
Skin and body protection	:	Safety shoes Long sleeved clothing	
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.	
		Skin should be washed after contact.	
		Remove and wash contaminated clothing before re-use.	



FibroSil Version Revision Date: Date of last issue: 22.10.2020 Print Date 27.11.2020 2.0 01.12.2020 Date of first issue: 10.12.2019 During spray application: impervious clothing No personal respiratory protective equipment normally re-Respiratory protection : quired. German trade association rules - BGR 190 Breathing protection During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	Not relevant
рН	:	8 - 9 Concentration: 100 %
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapour pressure	:	not determined
Relative vapour density	:	not determined
Relative density	:	not determined
Density	:	1,5200 g/cm3
Solubility(ies)		



Version 2.0	Revision Date: 27.11.2020	Print Date 01.12.2020	Date of last issue: 22.10.2020 Date of first issue: 10.12.2019
Wa	ater solubility	: completely m	iscible
	on coefficient: n- ol/water	: not determine	ed
Auto-i	gnition temperature	: not determine	ed
Decor	mposition temperature	: Not applicabl	e
Viscos Vis	sity scosity, dynamic	: No data avail	able
Explo	sive properties	: Not applicabl	e
Oxidiz	zing properties	: Not applicabl	e
	information nability (liquids)	: The product i	s not flammable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid

: Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



Version	Revision Date:	Print Date	Date of last issue: 22.10.2020
2.0	27.11.2020	01.12.2020	Date of first issue: 10.12.2019

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product:		
Acute oral toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Components:		

Components:

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg

2-methylisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 120 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist

reaction mass of 5-chloro-2 (3:1):	2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
Acute oral toxicity	: LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	: LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402



FibroSi	il			
/ersion 2.0	Revision Date: 27.11.2020		int Date .12.2020	Date of last issue: 22.10.2020 Date of first issue: 10.12.2019
Skin	corrosion/irritation			
Produ	uct:			
Rema	ırks	:		classification criteria of the European Union, considered as being a skin irritant.
Serio	us eye damage/eye irri	itati	on	
Produ	uct:			
Rema	Remarks : According to the classification criteria of the European the product is not considered as being an eye irritant.			
Resp	iratory or skin sensitis	atic	n	
Produ	uct:			
Rema	urks	:	Causes sensitisat	ion.
SECTION	I 12: Ecological infor	ma	tion	
2.1 Toxic	city			
Produ	uct:			
Toxic	ity to fish	:	Remarks: No data	a available
	ity to daphnia and other ic invertebrates	:	Remarks: No data	a available
<u>Com</u>	oonents:			
1,2-b	enzisothiazol-3(2H)-on	e:		
Toxic	ity to fish	:	LC50 (Oncorhync Exposure time: 96 Method: OECD Te	

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic toxicity)	:	1



Version	Revision Date:	Print Date	Date of last issue: 22.10.2020
2.0	27.11.2020	01.12.2020	Date of first issue: 10.12.2019

2-methylisothiazol-3(2H)-one:

M-Factor (Acute aquatic tox- : 10 icity)

M-Factor (Chronic aquatic : 1 toxicity)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

M-Factor (Acute aquatic tox- icity)	:	100
M-Factor (Chronic aquatic	:	100

toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one				
(3:1):				
Partition coefficient: n-	: log Pow: <= 0,71			

Partition coefficient: n-	:	log Pow: <= 0,71
octanol/water		Method: OECD Test Guideline 117

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	: This substance/mixture contains no components considered
	to be either persistent, bioaccumulative and toxic (PBT), or
	very persistent and very bioaccumulative (vPvB) at levels of
	0.1% or higher

12.6 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.



Version 2.0	Revision Date: 27.11.2020	Print Date 01.12.2020	Date of last issue: 22.10.2020 Date of first issue: 10.12.2019	
----------------	---------------------------	--------------------------	---	--

SECTION 13: Disposal considerations

•••			
	Product	:	
			Waste should not be disposed of via wastewater.
	Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
	Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

:

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3



Versi 2.0	ion	Revision Date: 27.11.2020		nt Date 12.2020			last issue: 22.10.2020 first issue: 10.12.2019
		I - Candidate List of Su n for Authorisation (Art				:	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
	REACH (Annex	I - List of substances s XIV)	ubje	ect to authorisation		:	None
		III: Directive 2012/18/I accident hazards involv					and of the Council on the control of
	Water c (Germa	contaminating class	:	· • • • • • • • • • • • • • • • • • • •			ngering AwSV, Annex 1 (5.2)
		t code for laquers and Giscode	:	M-GP01 Water-ba	sed	prim	ners, pigmented
			:	BSW20 Coating m	ate	rials,	water-based
·	Volatile	organic compounds	:	Directive 2004/42/ < 2 % < 30 g/l	ΈC		

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H330 :	Fatal if inhaled.



Version 2.0	Revision Date: 27.11.2020		nt Date .12.2020	Date of last issue: 22.10.2020 Date of first issue: 10.12.2019
H351 H400 H410 H411		:	Very toxic to aqua Very toxic to aqua	sing cancer if inhaled. tic life. tic life with long lasting effects. e with long lasting effects.
Full tex	kt of other abbreviati	ons		
Acute T Aquatic Aquatic Carc. Eye Da Skin Co Skin Irr Skin Se 2004/3	Acute Chronic m. orr. it. ens.			c) aquatic hazard
	GS 900 7/EC / TWA GS 900 / AGW	: : :	at work Germany. TRGS 9 Long term exposu Time Weighted Av	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Coile of the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Coile for the Construction to 50 % of a test population; LDS0 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - Nov Deserved (Adverse) Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; CECD - Organization; ICO- Operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxis substance; PICCS - Philippines Inventory of Chemicals Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances



Version 2.0	Revision Date: 27.11.2020	Print Date 01.12.2020	Date of last issue: 22.10.2020 Date of first issue: 10.12.2019

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

H317

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Skin Sens. 1

Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN