

Capadur F7-LangzeitLasur Walnuss

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2020
3.0	01.12.2022	6000198	Date of first issue: 14.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	: Capadur F7-LangzeitLasur Walnuss
1.2 Relevant identified uses of the	e substance or mixture and uses advised against
Use of the Sub- stance/Mixture	: Solvent-borne coatings
Recommended restrictions on use	: within adequate application - none
1.3 Details of the supplier of the s	safety data sheet
Company	 Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone	: +496154710
Telefax	: +4961547170222
E-mail address Responsi- ble/issuing person	: msds@dr-rmi.com
1.4 Emergency telephone	
Emergency telephone 1	: +49613284463 GBK GmbH
SECTION 2: Hazards identifica	ation
2.1 Classification of the substanc	e or mixture
Classification (REGULATION	l (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapor.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008) Hazard pictograms :



Signal Word

: Warning



Capadur F7-LangzeitLasur Walnuss

Version 3.0	Revision Date: 01.12.2022	-	SDS Number: 6000198	Date of last issue: 08.12.2020 Date of first issue: 14.11.2019
Haz	ard Statements	:	H226 Flammab	le liquid and vapor.
•	plemental Hazard ements	:	EUH066 dryness or cracki	Repeated exposure may cause skin ng.
Pree	cautionary Statements	:	label at hand.	l advice is needed, have product container or of reach of children.
			flames and other	ay from heat, hot surfaces, sparks, open ignition sources. No smoking. outdoors or in a well-ventilated area.
			Response:	353 IF ON SKIN (or hair): Take off immedi-
			ately all contamin P370 + P378 Ir	ated clothing. Rinse skin with water. a case of fire: Use dry sand, dry chemical or foam to extinguish.

Additional Labeling

EUH208 Contains bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Alkyd-resin-based wood varnish, solvent-containing

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
---------------	-------------------	----------------	--------------------------



Capadur F7-LangzeitLasur Walnuss

Version	Revision Date: 01.12.2022	SDS Number:	Date of last issue: 08.12.2020
3.0		6000198	Date of first issue: 14.11.2019

	Index-No.		
	Registration number		
Naphtha (petroleum), hydrotreat-	64742-48-9	Asp. Tox. 1; H304	>= 20 - < 30
ed heavy; Low boiling point ydro-	265-150-3	EUH066	
gen treated naphtha	649-327-00-6		
	01-2119457273-39,		
	01-2119463258-33,		
	01-2119486659-16		
Naphtha (petroleum), hydrotreat-	64742-48-9	Flam. Liq. 3; H226	>= 10 - < 20
ed heavy; Low boiling point ydro-	265-150-3	STOT SE 3; H336	
gen treated naphtha	649-327-00-6	Asp. Tox. 1; H304	
	01-2119457273-39,	EUH066	
	01-2119463258-33		
bis(1,2,2,6,6-pentamethyl-4-	41556-26-7	Skin Sens. 1; H317	>= 0,1 - < 0,25
piperidyl) sebacate	255-437-1	Aquatic Acute 1;	
	01-2119491304-40	H400	
		Aquatic Chronic 1;	
		H410	
		Repr. 2; H361f	
Substances with a workplace expo	sure limit :		
Silica gel, pptd., crystfree	112926-00-8		>= 1 - < 10
	231-545-4		
	01-2119379499-16,		
	01-2120105300-82		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	 Call a physician. If breathing is irregular or stopped, administer artificial respiration. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. Move to fresh air.
In case of skin contact	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water. Take off all contaminated clothing immediately.



Capadur F7-LangzeitLasur Walnuss

Vers 3.0	sion	Revision Date: 01.12.2022		S Number: 00198	Date of last issue: 08.12.2020 Date of first issue: 14.11.2019
	In case	of eye contact	:	IF IN EYES: Rinse	sists: Get medical advice/ attention. e cautiously with water for several minutes. enses, if present and easy to do. Continue
	If swallowed		:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.	
4.2	Most im	portant symptoms ar	nd e	ffects, both acute	and delayed
	Risks		:	Repeated exposu	re may cause skin dryness or cracking.
4.3	Indicatio	on of any immediate r	ned	lical attention and	special treatment needed
	Treatm	ent	:	No information av	ailable.
SEC		5: Firefighting meas	sure	es	
		5 5			
5.1	Extingu	ishing media			
	Suitable	e extinguishing media	:	cumstances and t Use water spray, a bon dioxide.	measures that are appropriate to local cir- he surrounding environment. alcohol-resistant foam, dry chemical or car- water stream as it may scatter and spread
	Unsuita media	ble extinguishing	:	None known.	
5.2	Special	hazards arising from	the	substance or mix	ture
	Specific fighting	c hazards during fire	:	In case of fire haz produced such as	iners exposed to fire with water spray. ardous decomposition products may be : , carbon dioxide and unburned hydrocar-
5.3	Advice	for firefighters			
-		protective equipment	:	In the event of fire	, wear self-contained breathing apparatus.
	Further	information	:		re for chemical fires. and/or explosion do not breathe fumes.



Capadur F7-LangzeitLasur Walnuss

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2020
3.0	01.12.2022	6000198	Date of first issue: 14.11.2019

SECTION 6: Accidental release measures

6.1 Personal precautions, protectiv	e equipment and emergency procedures
Personal precautions :	Do not get in eyes, on skin, or on clothing. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure adequate ventilation. Remove all sources of ignition.
6.2 Environmental precautions	
Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for contain	inment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Non-sparking tools should be used. For personal protection see section 8. Avoid exceeding the given occupational exposure limits (see section 8). Provide sufficient air exchange and/or exhaust in work rooms. In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Advice on protection against fire and explosion	:	Vapors may form explosive mixtures with air. Vapors are heavier than air and may spread along floors. Keep away from heat, hot surfaces, sparks, open flames and other ignition
Hygiene measures	:	sources. No smoking. Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and protec-
		tive equipment before entering eating areas.





Capadur F7-LangzeitLasur Walnuss

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2020
3.0	01.12.2022	6000198	Date of first issue: 14.11.2019

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Store between 41 and 77 °F in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Storage class (TRGS 510)	:	3

7.3 Specific end use(s)

Specific use(s) : This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
Naphtha (petrole-	64742-48-9	AGW	300 mg/m3	DE TRGS
um), hydrotreated				900
heavy; Low boiling				
point ydrogen				
treated naphtha				
	Peak-limit cat	egory: 2;(II)		
	Further information: Group exposure limit for hydrocarbon solvent mixtures			
Naphtha (petrole-	64742-48-9	AGW	300 mg/m3	DE TRGS
um), hydrotreated				900
heavy; Low boiling				
point ydrogen				
treated naphtha				
	Peak-limit category: 2;(II)			
	Further information: Group exposure limit for hydrocarbon solvent mixtures			ent mixtures
Silica gel, pptd.,	112926-00-	AGW (Inhalable	4 mg/m3	DE TRGS
crystfree	8	fraction)	(Silica)	900
	Further inform	ation: When there is	compliance with the OEL ar	nd biological
	tolerance values, there is no risk of harming the unborn child			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
Silicic acid, aluminum sodium salt	Workers	Inhalation	Long-term local ef- fects	4,00 mg/m3

8.2 Exposure controls

Personal protective equipment

Eye/face protection : DGUV Regulation 112-192 - Use of eye and face protection



Capadur F7-LangzeitLasur Walnuss

Version 3.0	Revision Date: 01.12.2022		DS Number: 000198	Date of last issue: 08.12.2020 Date of first issue: 14.11.2019
			Goggles	
M G	l protection laterial love thickness rotective index	: :	Nitrile rubber 0,2 mm Class 3	
R	emarks	:	cation of degrada moving gloves cle ble gloves tested	e discarded and replaced if there is any indi- tion or chemical breakthrough. Before re- ean them with soap and water. Wear suita- to EN374. In 112-195 - Use of protective gloves
Skin	and body protection	:	Safety shoes Long sleeved clot	thing
				tection according to the amount and con- dangerous substance at the work place.
			Skin should be wa	ashed after contact.
			During spray appl	lication: impervious clothing
Resp	viratory protection	:	used under condi	or brushing: This product should not be tions of poor ventilation unless a protective propriate gas filter (i.e. type A1 according to 87) is used.
			DGUV Regulatior	n 112-190 - Use of breathing equipment
				lication: Do not breathe spray dust. Use on filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	Not relevant
Melting point/freezing point	:	not determined





Capadur F7-LangzeitLasur Walnuss

Ver 3.0	sion	Revision Date: 01.12.2022		S Number: 00198	Date of last issue: 08.12.2020 Date of first issue: 14.11.2019
	Boiling	point/boiling range	:	not determined	
		explosion limit / Upper ability limit	:	not determined	
		explosion limit / Lower ability limit	:	not determined	
	Flash p	point	:	48,5 °C	
	Autoigr	nition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	рН		:	6,95 Concentration: 1	0 %
	Viscosi Visc	ity cosity, dynamic	:	No data available	e
	Viso	cosity, kinematic	:	> 20,5 mm2/s (4	0 °C)
	Flow tir	ne	:	> 60 s at 23 °C Cross section: 6 Method: ISO 243	
	Solubil Wat	ity(ies) ter solubility	:	partly miscible	
	Partitio octano	n coefficient: n- I/water	:	not determined	
	Vapor	pressure	:	not determined	
	Relativ	e density	:	not determined	
	Density	/	:	0,9100 g/cm3	
	Relativ	e vapor density	:	Heavier than air.	
9.2		nformation		Notappliable	
	Explos			Not applicable	
		ng properties		Not applicable	stion
		ability (liquids)	:	Sustains combus	SIUT
	⊏vapor	ation rate	•	Not applicable	



Capadur F7-LangzeitLasur Walnuss

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2020
3.0	01.12.2022	6000198	Date of first issue: 14.11.2019

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Vapors may form explosive mixture with air. Hazardous decomposition products formed under fire condi- tions.
10.4 Conditions to avoid	
Conditions to avoid	: Protect from frost, heat and sunlight.
10.5 Incompatible materials	
Materials to avoid	 Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

Silica gel, pptd., cryst.-free:

Acute oral toxicity	:	LD50 Oral (Rat): > 10.000 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 5.000 mg/kg

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified based on available information.



Capadur F7-LangzeitLasur Walnuss

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2020
3.0	01.12.2022	6000198	Date of first issue: 14.11.2019

Respiratory or skin sensitization

Skin s	sensitization
--------	---------------

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at layeds of 0.1% or bisher
		levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil

No data available



Capadur F7-LangzeitLasur Walnuss

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2020
3.0	01.12.2022	6000198	Date of first issue: 14.11.2019

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

•••			
	Product	:	
			Waste should not be disposed of via wastewater.
	Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
	Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 1263
ADR	:	UN 1263
RID	:	UN 1263



Capadur F7-LangzeitLasur Walnuss

Version 3.0	Revision Date: 01.12.2022		OS Number: 00198	Date of last issue: 08.12.2020 Date of first issue: 14.11.2019
IMDG		:	UN 1263	
IATA			UN 1263	
	roper shipping name	•	0111200	
ADN	1 11 0	:	PAINT	
ADR			PAINT	
RID		:	PAINT	
IMDG		:	PAINT	
ΙΑΤΑ		:	Paint	
14.3 Trans	sport hazard class(es)			
			Class	Subsidiary risks
ADN		:	3	
ADR		:	3	
RID		:	3	
IMDG		:	3	
ΙΑΤΑ		:	3	
14.4 Packi	ing group			
Class	ng group ification Code rd Identification Number s	:	III F1 30 3	
Class Hazar Labels	ng group ification Code rd Identification Number s el restriction code	:	3	
Class	ng group ification Code rd Identification Number s	:	III F1 30 3	
IMDG Packin Labels EmS	ng group s	:	III 3 F-E, <u>S-E</u>	
	(Cargo) ng instruction (cargo	:	366	



Capadur F7-LangzeitLasur Walnuss

Vers 3.0	sion	Revision Date: 01.12.2022		DS Number: 000198	Date of last issue: 08.12.2020 Date of first issue: 14.11.2019
) g instruction (LQ) g group	:	Y344 III Flammable Liquid	ls
	Packing ger airc Packing	Passenger) g instruction (passen- craft) g instruction (LQ) g group	:	355 Y344 III Flammable Liquid	ls
14.5	5 Enviro	nmental hazards			
	ADN Enviror	mentally hazardous	:	no	
	ADR Enviror	mentally hazardous	:	no	
	RID Enviror	mentally hazardous	:	no	
	IMDG Marine	pollutant	:	no	
14.6	Specia	I precautions for use	er		
	Remarl	<s< td=""><td>:</td><td>goods/merchandi</td><td>smaller than or equal to 450 liters, not</td></s<>	:	goods/merchandi	smaller than or equal to 450 liters, not

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-ture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High	:	This product is a mixture and does

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59). I his product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above



Capadur F7-LangzeitLasur Walnuss

Version 3.0	Revision Date: 01.12.2022	SDS Number: 6000198		ate of last issue: 08.12.2020 ate of first issue: 14.11.2019
				0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
	lation (EC) No 1005/20 the ozone layer	009 on substances t	that de-	: Not applicable
	lation (EU) 2019/1021 (recast)	on persistent organ	ic pollu-	: Not applicable
	CH - List of substances ex XIV)	subject to authoris	ation	: None
pean contro	so III: Directive 2012/1 Parliament and of the ol of major-accident ha erous substances.	Council on the	P5c	FLAMMABLE LIQUIDS
			34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar proper- ties as regards flammability and environmental hazards as the products referred to in points (a) to (d)
Wate ny)	r hazard class (Germa			endangering ng to AwSV, Annex 1 (5.2)
	uct code for laquers an s / Giscode	d : M-KH02 Solv moved	/ent-base	ed varnishes/wood glaze, aromatics re-
		: BSL40 Coati free, classifie		rials, strongly solvent-based, aromatic-
Volati	ile organic compounds	: Directive 200 < 40 % < 370 g/l)4/42/EC	:

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity



Capadur F7-LangzeitLasur Walnuss

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2020
3.0	01.12.2022	6000198	Date of first issue: 14.11.2019

Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H400 : H410 :	Flammable liquid and vapor. May be fatal if swallowed and enters airways. May cause an allergic skin reaction. May cause drowsiness or dizziness. Suspected of damaging fertility. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
H410 : EUH066 :	Very toxic to aquatic life with long lasting effects. Repeated exposure may cause skin dryness or cracking.
2011000	

Full text of other abbreviations

Aquatic Acute	:	Short-term (acute) aquatic hazard	
Aquatic Chronic	:	Long-term (chronic) aquatic hazard	
Asp. Tox.	:	Aspiration hazard	
Flam. Liq.	:	Flammable liquids	
Repr.	:	Reproductive toxicity	
Skin Sens.	:	Skin sensitization	
STOT SE	:	Specific target organ toxicity - single exposure	
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.	
DE TRGS 900 / AGW	:	Time Weighted Average	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GMS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Coil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Locel 3005 ervible Effect Localing Rate; NZICC - New Zealand Inventory of Chemicals; CECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safe

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered



Capadur F7-LangzeitLasur Walnuss

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2020
3.0	01.12.2022	6000198	Date of first issue: 14.11.2019

substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet: ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the mixture:

Flam. Lig. 3 H226

Classification procedure:

Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN