Capatect OrCa-Spachtel



Version	Revision Date:	SDS Number:	Date of last issue: 10.05.2023
2.2	13.05.2024	6002574	Date of first issue: 10.12.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	Capatect OrCa-Spachtel			
1.2 Relevant identified uses of tl	he s	ubstance or mixture and uses advised against			
Use of the Sub- stance/Mixture	:	Water-borne coatings			
Recommended restrictions on use	:	within adequate application - none			
1.3 Details of the supplier of the	saf	ety data sheet			
Company	:	Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt			
Telephone	:	+496154710			
Telefax	:	+4961547170222			
Website	:				
E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com			
1.4 Emergency telephone					
Emergency telephone 1	:	+49613284463 GBK GmbH			
SECTION 2: Hazards identification					

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127	/2/2008)
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

	•		
Signal Word	:	Warning	
Hazard Statements	:	H317	May cause an allergic skin reaction.

Capatect OrCa-Spachtel



Version 2.2	Revision Date: 13.05.2024	SDS Number: 6002574	Date of last issue: 10.05.2023 Date of first issue: 10.12.2019
Precau	utionary Statements	: P101 P102	If medical advice is needed, have product con- tainer or label at hand. Keep out of reach of children.
		Prevention P261 P280	•
		Response: P302 + P35	2 IF ON SKIN: Wash with plenty of water.
		Disposal: P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Componento			-
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,0025 - <
	220-120-9	Skin Irrit. 2; H315	0,025
	613-088-00-6	Eye Dam. 1; H318	
	01-2120761540-60	Skin Sens. 1; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 2;	
		H411	
		Acute Tox. 2; H330	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Capatect OrCa-Spachtel



sion	Revision Date: 13.05.2024	SDS Number: 6002574	Date of last issue: 10.05.2023 Date of first issue: 10.12.2019	
			M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
			specific concentration limit Skin Sens. 1; H317 >= 0,05 %	
2-met	hylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
	ances with a workplace			
Quart	z (SiO2)	14808-60-7 238-878-4 01-2120770509	-45	< 5
alumii	nium hydroxide	21645-51-2 244-492-7 01-2119529246	>= 10 - 4	< 2
kaolin		1332-58-7 310-194-1	>= 1 - <	: 1

For explanation of abbreviations see section 16.

Capatect OrCa-Spachtel



Version	Revision Date:	SDS Number:	Date of last issue: 10.05.2023
2.2	13.05.2024	6002574	Date of first issue: 10.12.2019

SECTION 4: First aid measures

4.1 Description of first-aid measures					
General advice	 Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself. 				
If inhaled	: Move to fresh air.				
In case of skin contact	: Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.				
In case of eye contact	: If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
If swallowed	: Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.				
4.2 Most important symptoms and effects, both acute and delayed					
Risks	: May cause an allergic skin reaction.				

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing media	:	None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire	:	In case of fire hazardous decomposition products may be
fighting		produced such as:
		Carbon monoxide, carbon dioxide and unburned hydrocar-

Capatect OrCa-Spachtel



Version 2.2	Revision Date: 13.05.2024		DS Number: 002574	Date of last issue: 10.05.2023 Date of first issue: 10.12.2019				
			bons (smoke).					
5.3 Advice	5.3 Advice for firefighters							
	al protective equipment -fighters	:	Wear self-contain essary.	ned breathing apparatus for firefighting if nec-				
Further information		:		Standard procedure for chemical fires. The product itself does not burn.				
SECTION 6: Accidental release measu			measures					
6.1 Person	al precautions, protec	ctiv	e equipment and o	emergency procedures				
Perso	Personal precautions : Use pro Materia		Material can crea	ioes or boots with rough rubber sole. te slippery conditions. s, on skin, or on clothing.				
6.2 Enviro	6.2 Environmental precautions							
Environmental precautions :		Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.						

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.

Capatect OrCa-Spachtel



Version	Revision Date:	SDS Number:	Date of last issue: 10.05.2023
2.2	13.05.2024	6002574	Date of first issue: 10.12.2019

7.2 Conditions for safe storage, including any incompatibilities

· · · · · · · · · · · · · · · · · · ·	-	J J J J J J J J J J
Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510)	:	12
7.3 Specific end use(s) Specific use(s)	:	This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Quartz (SiO2)	14808-60-7	TWA (Respirable dust)	0,1 mg/m3	2004/37/EC	
	Further inform	nation: Carcinogens	or mutagens		
aluminium hydrox-	21645-51-2	AGW (Inhalable	10 mg/m3	DE TRGS	
ide		fraction)		900	
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological				
	tolerance values, there is no risk of harming the unborn child				
		AGW (Alveolate	1,25 mg/m3	DE TRGS	
		fraction)		900	
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
kaolin	1332-58-7	TWA (Respirable	0,1 mg/m3	2004/37/EC	
		dust)	-		
	Further information: Carcinogens or mutagens				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

			. ,	
Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	
aluminium hydroxide	Consumers	Ingestion	Long-term systemic	4,74 mg/kg
			effects	bw/day
	Workers	Inhalation	Long-term systemic	10,76 mg/m3
			effects	_
	Workers	Inhalation	Long-term local ef-	10,76 mg/m3
			fects	_
Kaolin, calcined	Workers	Inhalation	Acute systemic ef-	3,00 mg/m3
			fects	_

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Capatect OrCa-Spachtel



Vers 2.2	sion Revision Date: 13.05.2024	SDS Numl 6002574	ber:	Date of last issue: 10.05.2023 Date of first issue: 10.12.2019	
		Workers Workers	Inhalation Inhalation	Acute local effects Long-term systemic effects	3,00 mg/m3 3,00 mg/m3
		Workers	Inhalation	Long-term local ef- fects	3,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment Value	
Kaolin, calcined	Intermittent use/release	25 mg/l
	Fresh water	4,1 mg/l
	Sea water	0,41 mg/l
	Sewage treatment plant	1400 mg/l

8.2 Exposure controls

Personal protective equipment	nt	DOUN Description 142,402 Line of our and face protection
Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection
		Goggles
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves
Skin and body protection	:	Safety shoes Long sleeved clothing
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
		Skin should be washed after contact.
		Remove and wash contaminated clothing before re-use. During spray application: impervious clothing
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.
		During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.
		DGUV Regulation 112-190 - Use of breathing equipment

Capatect OrCa-Spachtel



Version	Revision Date:	SDS Number:	Date of last issue: 10.05.2023
2.2	13.05.2024	6002574	Date of first issue: 10.12.2019

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state		paste-like
Color	:	white
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8 - 9 Concentration: 100 %
Viscosity Viscosity, dynamic	:	No data available
Solubility(ies) Water solubility	:	completely miscible
Partition coefficient: n- octanol/water	:	Not applicable

Capatect OrCa-Spachtel



Version 2.2	Revision Date: 13.05.2024		S Number: 02574	Date of last issue: 10.05.2023 Date of first issue: 10.12.2019
Vapo	or pressure	:	ca. 23,4 hPa (20) °C)
Relat	Relative density		not determined	
Dens	sity	:	1,30 - 1,40 g/cm	3
Rela	Relative vapor density		Not applicable	
	information osives	:	Not applicable	
Oxid	izing properties	:	Not applicable	
Flam	mability (liquids)	:	The product is n	ot flammable.
Self-	ignition	:	not auto-flamma	ble

SECTION 10: Stability and reactivity

10.1 Reactivity No decomposition if stored and	anı	olied as directed			
	up				
10.2 Chemical stability No decomposition if stored and applied as directed.					
10.3 Possibility of hazardous react	tio	ns			
Hazardous reactions	:	No decomposition if stored and applied as directed.			
10.4 Conditions to avoid					
Conditions to avoid	:	Protect from frost, heat and sunlight.			
10.5 Incompatible materials					
Materials to avoid	:	Incompatible with acids and bases. Incompatible with oxidizing agents.			
10.6 Hazardous decomposition products					

No decomposition if stored and applied as directed.

Capatect OrCa-Spachtel



VersionRevision Date:SDS Nun2.213.05.20246002574

SDS Number: Date of last 6002574 Date of first

Date of last issue: 10.05.2023 Date of first issue: 10.12.2019

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg
2-methylisothiazol-3(2H)-on	e:	
Acute oral toxicity	:	LD50 (Rat): 120 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,145 mg/l Exposure time: 4 h

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

Test atmosphere: dust/mist

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Capatect OrCa-Spachtel

VersionRevision Date:SDS Number:2.213.05.20246002574

Date of last issue: 10.05.2023 Date of first issue: 10.12.2019

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:	
Toxicity to fish :	 LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic : plants	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- : icity)	: 1
M-Factor (Chronic aquatic : toxicity)	1
2-methylisothiazol-3(2H)-one:	
M-Factor (Acute aquatic tox- : icity)	10
M-Factor (Chronic aquatic : toxicity)	: 1



Capatect OrCa-Spachtel



Version	Revision Date:	SDS Number:
2.2	13.05.2024	6002574

Date of last issue: 10.05.2023 Date of first issue: 10.12.2019

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

1,2-benzisothiazol-3(2H)-one:

Partition coefficient: n-	:	log Pow: 0,63 - 0,76
octanol/water		pH: 7

2-methylisothiazol-3(2H)-one:

Partition coefficient: n-	:	log Pow: -0,486 (25 °C)
octanol/water		pH: 7

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste should not be disposed of via wastewater.

Contaminated packaging	:	Only completely emptied containers should be given for recy-
------------------------	---	--

: .

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Capatect OrCa-Spachtel



Capale	ci Orca-Spaci	itei	
Version 2.2	Revision Date: 13.05.2024	SDS Number 6002574	Date of last issue: 10.05.2023 Date of first issue: 10.12.2019
		cling.	
Wast	e Code	: used proc 080112, v in 08 01 1	waste paint and varnish other than those mentioned
SECTION	14: Transport inf	ormation	
14.1 UN n	umber or ID number		
ADN		: Not regula	ated as a dangerous good
ADR		: Not regula	ated as a dangerous good
RID		: Not regula	ated as a dangerous good
IMDO	ì	: Not regula	ated as a dangerous good
ΙΑΤΑ		: Not regula	ated as a dangerous good
14.2 UN p	roper shipping nam	e	
ADN		: Not regula	ated as a dangerous good
ADR		: Not regula	ated as a dangerous good
RID		: Not regula	ated as a dangerous good
IMDG	ì	: Not regula	ated as a dangerous good
ΙΑΤΑ		: Not regula	ated as a dangerous good
14.3 Tran	sport hazard class(e	s)	
ADN		: Not regula	ated as a dangerous good
ADR		: Not regula	ated as a dangerous good
RID		: Not regula	ated as a dangerous good
IMDG	ì	: Not regula	ated as a dangerous good
ΙΑΤΑ		: Not regula	ated as a dangerous good
14.4 Pack	ing group		
ADN		: Not regula	ated as a dangerous good
ADR		: Not regula	ated as a dangerous good
RID		: Not regula	ated as a dangerous good
IMDG	ì	: Not regula	ated as a dangerous good
ΙΑΤΑ	(Cargo)	: Not regula	ated as a dangerous good

14.5 Environmental hazards

IATA (Passenger)

Not regulated as a dangerous good

14.6 Special precautions for user

: Not regulated as a dangerous good

Capatect OrCa-Spachtel



Version	Revision Date: 13.05.2024	SDS Number:	Date of last issue: 10.05.2023
2.2		6002574	Date of first issue: 10.12.2019
Rema	ırks	: Not classified a lations.	as dangerous in the meaning of transport regu-

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

	Restrictions on the manufacture, placing on et and use of certain dangerous substances, and articles (Annex XVII)		Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3	
			If you intend to use this product as tattoo ink, please contact your ven- dor.	
REACH - Candidate List of Sub Concern for Authorization (Artic		:	None	
Regulation (EC) No 1005/2009 plete the ozone layer	on substances that de-	:	Not applicable	
Regulation (EU) 2019/1021 on tants (recast)	persistent organic pollu-	:	Not applicable	
REACH - List of substances subject to authorisation : None (Annex XIV)				
Seveso III: Directive 2012/18/E pean Parliament and of the Co control of major-accident hazar dangerous substances.	ouncil on the	No	t applicable	
Water hazard class (Germa- ny)	: WGK 1 slightly water Classification accordi		angering o AwSV, Annex 1 (5.2)	
Product code for laquers and paints / Giscode	: M-DF02 Water-based	l pair	nts	
	: BSW20 Coating mate	erials	, water-based	
Volatile organic compounds	emissions (integrated	l poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 0,32 %	
Volatile organic compounds	: Directive 2004/42/EC			

Capatect OrCa-Spachtel



Version	Revision Date:	SDS Number:	Date of last issue: 10.05.2023
2.2	13.05.2024	6002574	Date of first issue: 10.12.2019
		- 1.0/	

< 1 % < 10 g/l

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
EUH071	:	Corrosive to the respiratory tract.
Full text of other abbreviation	ons	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitization
2004/37/EC	:	Europe. Directive 2004/37/EC on the protection of workers
		from the risks related to exposure to carcinogens or mutagens
		at work
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
2004/37/EC / TWA		Long term exposure limit

2004/37/EC / TWA : Long term exposure limit DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipment of Ships carrying Dangerous in Bulk; IC50 - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISCC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISC1 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



Capatect OrCa-Spachtel

Version	Revision Date:	SDS Number:	Date of last issue: 10.05.2023
2.2	13.05.2024	6002574	Date of first issue: 10.12.2019

Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network

Classification of the mixture:

Classification procedure: Calculation method

Skin Sens. 1 H317

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Capatect OrCa-Spachtel

Version	Revision Date:	SDS Number:	Date of last issue: 10.05.2023
2.2	13.05.2024	6002574	Date of first issue: 10.12.2019

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN