

Sylitol-Finish 130 Basis 1

Version	Revision Date:	Print Date	Date of last issue: -
1.0	21.03.2019	29.03.2019	Date of first issue: 21.03.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier				
Trade name	: Sylitol-Finish 130 Basis 1			
1.2 Relevant identified uses of the	e substance or mixture and uses advised against			
Use of the Sub- stance/Mixture	: Water-borne coatings			
Recommended restrictions on use	: within adequate application - none			
1.3 Details of the supplier of the	safety data sheet			
Company	: Caparol Farben Lacke GmbH Roßdörfer Straße 50			
	64372 Ober-Ramstadt			
Telephone	: +496154710			
Telefax	: +49615471222			
E-mail address Responsi- ble/issuing person	: msds@dr-rmi.com			
1.4 Emergency telephone number	er			
Emergency telephone num- ber 1	: +49615471202			
SECTION 2: Hazards identification				
2.1 Classification of the substan	ce or mixture			
Classification (REGULATIO				
2.2 Label elements				
Labelling (REGULATION (E	C) No 1272/2008)			
Not a hazardous substance or mixture				

Not a hazardous substance or mixture.

Precautionary statements	:	P101 label at	If medical advice is needed, have product container or hand.
			Keep out of reach of children.

Additional Labelling

EUH208 Contains 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

according to Regulation (EC) No. 1907/2006

Sylitol-Finish 130 Basis 1

Version	Revision Date:	Print Date	Date of last issue: -
1.0	21.03.2019	29.03.2019	Date of first issue: 21.03.2019

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Due to its potassium silicate content, the reaction of silicate based coatings is highly alkaline. Hence protect skin and eyes from paint.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	:	Mixture
onomioarnataro	•	i i i i i i i i i i i i i i i i i i i

Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)
	Registration number		
Silicic acid, potassium salt	1312-76-1	Skin Irrit. 2; H315	>= 1 - < 10
	215-199-1	Eye Irrit. 2; H319	
	01-2119456888-17	STOT SE 3; H335	
Substances with a workplace expo	sure limit :		
titanium dioxide	13463-67-7		>= 1 - < 10
	236-675-5		
	01-2119489379-17		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	First aider needs to protect himself. Move out of dangerous area. If you feel unwell, seek medical advice (show the label where possible). Never give anything by mouth to an unconscious person.
If inhaled	:	Move to fresh air.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Do NOT use solvents or thinners. Take off all contaminated clothing immediately.
In case of eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Seek medical advice.

according to Regulation (EC) No. 1907/2006

Sylitol-Finish 130 Basis 1 Date of last issue: -Version **Revision Date:** Print Date 21.03.2019 29.03.2019 Date of first issue: 21.03.2019 1.0 4.2 Most important symptoms and effects, both acute and delayed None known. 4.3 Indication of any immediate medical attention and special treatment needed : No information available. Treatment **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Unsuitable extinguishing None known. media 5.2 Special hazards arising from the substance or mixture Specific hazards during fire-: In case of fire hazardous decomposition products may be fighting produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). 5.3 Advice for firefighters Special protective equipment : Wear self-contained breathing apparatus for firefighting if necfor firefighters essary. Further information : The product itself does not burn. Standard procedure for chemical fires. Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protect	ive equipment and emergency procedures
Personal precautions	 Do not get in eyes, on skin, or on clothing. Material can create slippery conditions. Use protective shoes or boots with rough rubber sole.
6.2 Environmental precautions	
Environmental precautions	 Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. Prevent further leakage or spillage if safe to do so.
6.3 Methods and material for cont	tainment and cleaning up
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

according to Regulation (EC) No. 1907/2006

Sylitol-Finish 130 Basis 1

Version	Revision Date:	Print Date	Date of last issue: -
1.0	21.03.2019	29.03.2019	Date of first issue: 21.03.2019

6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8., For further information see Section 7 of the safety data sheet.

SECTION 7: Handling and storage				
7.1 Precautions for safe handling				
Advice on safe handling :	No special technical protective measures required. For personal protection see section 8.			
Hygiene measures :	Do not eat, drink or smoke when using this product. Wash hands before eating, drinking, or smoking.			
7.2 Conditions for safe storage, inc	luding any incompatibilities			
Requirements for storage : areas and containers	Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in the original container. To maintain product quality, do not store in heat or direct sunlight. Perishable if frozen.			
Advice on common storage :	Keep away from oxidizing agents and strongly acid or alkaline materials.			
Storage class (TRGS 510) :	12, Non Combustible Liquids			
7.3 Specific end use(s)Specific use(s):	Please follow the technical information.			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
titanium dioxide	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900
Peak-limit: excur- sion factor (catego- ry)	2;(II)			
Further information	General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values., Commission for dangerous substances, Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
		AGW (Alveolate fraction)	1,25 mg/m3 (Titanium dioxide)	DE TRGS 900
Peak-limit: excur- sion factor (catego- ry)	2;(II)			

according to Regulation (EC) No. 1907/2006

Sylitol-Finish 130 Basis 1

Version Revision Date: 1.0 21.03.2019	Print Date 29.03.2019	Date of last issue: - Date of first issue: 21.03.2019
---------------------------------------	-----------------------	--

Further information General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values., Commission for dangerous substances, Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	. ,		. ,	
Substance name	End Use	Exposure routes	Potential health ef- fects	Value
titanium dioxide	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
zinc sulphide	Consumers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2,50 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0,83 mg/kg bw/day
Silicic acid, potassium salt	Consumers	Inhalation	Long-term systemic effects	1,38 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0,74 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	0,74 mg/kg bw/day

8.2 Exposure controls

Personal protective equipment

Eye protection	:	German trade association rules - BGR 192 Eye protection
		Safety glasses
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3
Remarks	:	Wear suitable gloves tested to EN374. Before removing gloves clean them with soap and water.
Skin and body protection	:	Long sleeved clothing Safety shoes
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
		Skin should be washed after contact.
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.
		German trade association rules - BGR 190 Breathing protec- tion
		During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

according to Regulation (EC) No. 1907/2006

Sylitol-Finish 130 Basis 1

Version	Revision Date:	Print Date	Date of last issue: -
1.0	21.03.2019	29.03.2019	Date of first issue: 21.03.2019

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	Not relevant
рН	:	< 11,4
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	The product is not flammable.
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapour pressure	:	not determined
Relative vapour density	:	not determined
Relative density	:	not determined
Density	:	1,4700 g/cm3
Solubility(ies)		
Water solubility	:	completely miscible
	:	completely miscible not determined
Water solubility Partition coefficient: n-	:	
Water solubility Partition coefficient: n- octanol/water	:	not determined
Water solubility Partition coefficient: n- octanol/water Auto-ignition temperature	:	not determined
Water solubility Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature Viscosity	:	not determined not determined Not applicable
Water solubility Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature Viscosity Viscosity, dynamic	:	not determined not determined Not applicable No data available

according to Regulation (EC) No. 1907/2006

/ersion	Revision Date:	Print Date	Date of last issue: -
1.0	21.03.2019	29.03.2019	Date of first issue: 21.03.2019
	information		
No da	ata available		
SECTION	10: Stability and	reactivity	
10.1 Reac	tivity		
No de	ecomposition if stored	and applied as dir	ected.
10.2 Cher	nical stability		
No de	ecomposition if stored	and applied as dir	ected.
10.3 Poss	ibility of hazardous	reactions	
Haza	rdous reactions	: No decom	position if stored and applied as directed.
10.4 Conc	litions to avoid		
Cond	itions to avoid	: Protect fro	om frost, heat and sunlight.
40 5 10 4 4			
	npatible materials	1	
Mater	rials to avoid		ble with oxidizing agents. ble with acids and bases.
		ncompati	טוב שונון מכוטה מווע שמהכה.
10.6 Haza	rdous decompositio	on products	
N a ala	composition if stored	and applied as dir	ected

11.1 Information on toxicological effects

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Skin corrosion/irritation		
Product:		
Remarks	:	According to the classification criteria of the European Union, the product is not considered as being a skin irritant.
Serious eye damage/eye ir	ritat	ion
Product:		
Remarks	:	According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

according to Regulation (EC) No. 1907/2006

Sylitol-Finish 130 Basis 1

Version	Revision Date:	Print Date	Date of last issue: -
1.0	21.03.2019	29.03.2019	Date of first issue: 21.03.2019

Respiratory or skin sensitisation

Product:

Remarks

: Repeated contact may cause allergic reactions in very susceptible persons.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other	:	Remarks: No data available

aquatic invertebrates

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	: This substance/mixture contains no components considered
	to be either persistent, bioaccumulative and toxic (PBT), or
	very persistent and very bioaccumulative (vPvB) at levels of
	0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned

according to Regulation (EC) No. 1907/2006

Sylitol-	Sylitol-Finish 130 Basis 1				
Version 1.0	Revision Date: 21.03.2019		rint Date 9.03.2019	Date of last issue: - Date of first issue: 21.03.2019	
			in 08 01 11*		
SECTION	14: Transport info	orma	tion		
14.1 UN n	umber				
Not re	egulated as a dangero	ous go	ood		
14.2 UN p	roper shipping name	e			
Not re	egulated as a dangero	ous go	ood		
14.3 Trans	sport hazard class(e	s)			
Not re	egulated as a dangero	ous go	ood		
	ing group				
Not re	egulated as a dangero	ous go	ood		
14.5 Envii	ronmental hazards				
Not re	egulated as a dangero	ous go	od		
14.6 Spec	ial precautions for u	ser			
Rema	arks	:	Not classified as lations. see sections 6-8	dangerous in the meaning of transport regu-	

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-ture

REACH - Candidate List of Subs Concern for Authorisation (Article	, ,	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.		
REACH - List of substances subj (Annex XIV)	ect to authorisation :	None		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable				
Water contaminating class : (Germany)	1 slightly water end Classification according to			
Product code for laquers and : paints / Giscode	M-SK01 1-K silicate paints	6		
. :	BSW40 Coating materials	, water-based, alkaline		

according to Regulation (EC) No. 1907/2006

Sylitol-Finish 130 Basis 1

Version	Revision Date:	Print Date	Date of last issue: -
1.0	21.03.2019	29.03.2019	Date of first issue: 21.03.2019
Volatile	organic compounds	: Directive 2004/42 < 2 % < 20 g/l	/EC

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full	text	of	H-Statements
гип	ιθλί	UL.	

H315 H319 H335	:	Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.		
Full text of other abbreviations				
Eye Irrit.	:	Eye irritation		
Skin Irrit.	:	Skin irritation		
STOT SE	:	Specific target organ toxicity - single exposure		
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.		
DE TRGS 900 / AGW	:	Time Weighted Average		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw -Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardistation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS -Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Ari Transport Association; IBC - International Covil Avistem Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Covil Avistan Or ganization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament an

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

according to Regulation (EC) No. 1907/2006

Sylitol-Finish 130 Basis 1

Version	Revision Date:	Print Date	Date of last issue: -
1.0	21.03.2019	29.03.2019	Date of first issue: 21.03.2019

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly. This will be put into practice depending on the register-deadline of the substances involved during the transition period from December 1, 2010 till May 31, 2018.

DE / EN