

# Rustikputz K 30

Version	Revision Date:	SDS Number:	Date of last issue: 01.12.2020
2.1	06.02.2023	6008961	Date of first issue: 06.02.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : Rustikputz K 30

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions	:	within adequate application - none

on use

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone Telefax	:	+496154710 +4961547170222
E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com

#### 1.4 Emergency telephone

Emergency telephone 1	: +49613284463 GBK GmbH
-----------------------	-------------------------

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary Statements		P101 If medical advice is needed, have product container or
Trecadionary Statements	· lab	label at hand.
		P102 Keep out of reach of children.

### **Additional Labeling**



NUSLIK				
Version 2.1	Revision Date: 06.02.2023	SDS Number: 6008961	Date of last issue: 01.12.2020 Date of first issue: 06.02.2023	
				_

# EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### 2.3 Other hazards

Rustiknutz K 30

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Synthetic resin plaster, aqueous

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 1 - < 10

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

General advice	Never give anything by mouth to an unconscious If you feel unwell, seek medical advice (show the possible). Move out of dangerous area. First aider needs to protect himself.	
If inhaled	Move to fresh air.	
In case of skin contact	Do NOT use solvents or thinners.	



#### **Rustikputz K 30** Version Revision Date: SDS Number: Date of last issue: 01.12.2020 2.1 06.02.2023 6008961 Date of first issue: 06.02.2023 In case of contact, immediately flush skin with soap and plenty of water. If eye irritation persists: Get medical advice/ attention. In case of eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If swallowed Seek medical advice. : Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

None known.

**4.3 Indication of any immediate medical attention and special treatment needed** Treatment : No information available.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

	Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
	Unsuitable extinguishing media	:	None known.
5.2	Special hazards arising from	the	e substance or mixture
	Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3	Advice for firefighters		
	Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
	Further information	:	Standard procedure for chemical fires.



# Rustikputz K 30

VersionRevision Date:SDS Number:Date of last issue:2.106.02.20236008961Date of first issue:	• • • • • • • • • • • •
---	-------------------------

### **SECTION 6: Accidental release measures**

	e equipment and emergency procedures Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.		
6.2 Environmental precautions			
Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.		
6.3 Methods and material for containment and cleaning up			

Methods for cleaning up	: Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel,
	acid binder, universal binder, sawdust).

### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.

, For personal protection see section 8., For disposal considerations see section 13.

### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling	
Advice on safe handling :	For personal protection see section 8.
	No special technical protective measures required.
	In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures :	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.
7.2 Conditions for safe storage, in	cluding any incompatibilities
Requirements for storage : areas and containers	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.

Advice on common storage : Keep away from oxidizing agents and strongly acid or alkaline materials.



# Rustikputz K 30

Version 2.1	Revision Date: 06.02.2023	SDS Number: 6008961	Date of last issue: 01.12.2020 Date of first issue: 06.02.2023	
Stora	ge class (TRGS 510)	: 12		
-	f <b>ic end use(s)</b> ific use(s)	: This informatio	n is not available.	

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900		
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					
		AGW (Alveolate 1,25 mg/m3 DE 1		DE TRGS		
		fraction)	(Titanium dioxide)	900		
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological					
	tolerance valu	ies, there is no risk o	f harming the unborn child	-		
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527		

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	
Kaolin, calcined	Workers	Inhalation	Acute systemic ef-	3,00 mg/m3
			fects	_
	Workers	Inhalation	Acute local effects	3,00 mg/m3
	Workers	Inhalation	Long-term systemic	3,00 mg/m3
			effects	_
	Workers	Inhalation	Long-term local ef-	3,00 mg/m3
			fects	_
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3



# Rustikputz K 30

Version	Revision Date:	SDS Number:	Date of last issue: 01.12.2020
2.1	06.02.2023	6008961	Date of first issue: 06.02.2023

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Kaolin, calcined	Intermittent use/release	25 mg/l
	Fresh water	4,1 mg/l
	Sea water	0,41 mg/l
	Sewage treatment plant	1400 mg/l
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l

#### 8.2 Exposure controls

Personal protective equipm	Personal protective equipment				
Eye/face protection	:	Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. not required			
		DGUV Regulation 112-192 - Use of eye and face protection			
		Goggles			
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3			
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves			
Skin and body protection	:	Safety shoes Long sleeved clothing			
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.			
		Skin should be washed after contact.			
Respiratory protection	:	No personal respiratory protective equipment normally re-			



# Rustikputz K 30

Version 2.1	Revision Date: 06.02.2023	SDS Number: 6008961	Date of last issue: 01.12.2020 Date of first issue: 06.02.2023
		quired.	
		German trade a tion	association rules - BGR 190 Breathing protec-
		When spraying spray dust.	, use face mask with particle filter P2 against

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	No data available
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	11,4 Concentration: 100 %
Viscosity Viscosity, dynamic	:	No data available
Solubility(ies) Water solubility	:	completely miscible
Partition coefficient: n- octanol/water	:	not determined
Vapor pressure	:	ca. 23,4 hPa (20 °C)



# Rustikputz K 30

Version 2.1	Revision Date: 06.02.2023	SDS 6008	Number: 3961	Date of last issue: 01.12.2020 Date of first issue: 06.02.2023
Density	y	:	1,9000 g/cm3	
Relativ	e vapor density	:	not determined	
		:	Not applicable Not applicable The product is no	ot flammable.

### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity** No decomposition if stored and applied as directed. **10.2 Chemical stability** No decomposition if stored and applied as directed. 10.3 Possibility of hazardous reactions Hazardous reactions : No decomposition if stored and applied as directed. 10.4 Conditions to avoid Conditions to avoid Protect from frost, heat and sunlight. : 10.5 Incompatible materials Materials to avoid : Incompatible with acids and bases. Incompatible with oxidizing agents. **10.6 Hazardous decomposition products** No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Remarks

Information given is based on tests on products of similar composition.

Based on OECD test 431 this product is not classified as skin

# Rustikputz K 30

Version	Revision Date:	SDS Number:	[
2.1	06.02.2023	6008961	[

Date of last issue: 01.12.2020 Date of first issue: 06.02.2023

corrosive/skin irritant.

### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

:

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available





Version	Revision Date:	SDS Number:	Date of last issue: 01.12.2020
2.1	06.02.2023	6008961	Date of first issue: 06.02.2023
	ccumulative potentia ta available	I	
<b>12.4 Mobi</b> l No da	l <b>ity in soil</b> ta available		
12.5 Resu	Its of PBT and vPvB	assessment	
<u>Produ</u> Asses	<u>uct:</u> ssment	to be eithe	ance/mixture contains no components considered r persistent, bioaccumulative and toxic (PBT), or stent and very bioaccumulative (vPvB) at levels of gher.
12.6 Endo	crine disrupting pro	perties	
<u>Produ</u> Asses	<u>uct:</u> sment	ered to ha REACH A (EU) 2017	ance/mixture does not contain components consid- ve endocrine disrupting properties according to ticle 57(f) or Commission Delegated regulation /2100 or Commission Regulation (EU) 2018/605 at 1% or higher.
12.7 Other	r adverse effects		
Produ Addition mation	onal ecological infor-		mental hazard cannot be excluded in the event of onal handling or disposal.

 Waste treatment methods			
Product	:	: .	
		Waste should not be disposed of via wastewater.	
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.	
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*	

## **SECTION 14: Transport information**

14.1 UN number or ID number	
-	



Rustikputz K 30			
Version 2.1	Revision Date: 06.02.2023	SDS Number:Date of last issue: 01.12.20206008961Date of first issue: 06.02.2023	
40			
ADN : Not regulated as a dangerous go			
ADR : Not regulated as a dangerous good			
RI		: Not regulated as a dangerous good	
IMI		: Not regulated as a dangerous good	
	I proper shipping nam	: Not regulated as a dangerous good	
AD		: Not regulated as a dangerous good	
AD		: Not regulated as a dangerous good	
RI		: Not regulated as a dangerous good	
IMI		: Not regulated as a dangerous good	
		: Not regulated as a dangerous good	
14.3 Transport hazard class(es)		, 	
AD		: Not regulated as a dangerous good	
AD		: Not regulated as a dangerous good	
RI		: Not regulated as a dangerous good	
IMI		: Not regulated as a dangerous good	
IAI		: Not regulated as a dangerous good	
14.4 Pa	cking group		
AD	N	: Not regulated as a dangerous good	
AD	R	: Not regulated as a dangerous good	
RI	)	: Not regulated as a dangerous good	
IMI	DG	: Not regulated as a dangerous good	
	ΓA (Cargo)	: Not regulated as a dangerous good	
	TA (Passenger)	: Not regulated as a dangerous good	
	vironmental hazards		
	t regulated as a danger	с С	
-	ecial precautions for a marks	<ul> <li>ser</li> <li>Not classified as dangerous in the meaning of transport regulations.</li> </ul>	

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



# Rustikputz K 30

Version	Revision Date:	SDS Number:	Date of last issue: 01.12.2020
2.1	06.02.2023	6008961	Date of first issue: 06.02.2023

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix- ture				
REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, mixtures and articles (Annex XVII)				
<ul> <li>REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).</li> <li>This product is a mixture and does not contain Substances of Very Hig Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemica safety assessment has to be generated.</li> </ul>	gh al			
Regulation (EC) No 1005/2009 on substances that de- : Not applicable plete the ozone layer				
Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)				
REACH - List of substances subject to authorisation : None (Annex XIV)				
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.				
Water hazard class (Germa-WGK 1 slightly water endangeringny)Classification according to AwSV, Annex 1 (5.2)				
Product code for laquers and : M-DF01 Water-based paints, solvent-free paints / Giscode				
. ESW10 Coating materials, water-based, low preservative content				
Volatile organic compounds : Directive 2004/42/EC < 0.1 % < 1 g/l				

### Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).



## Rustikputz K 30

Version	Revision Date:	SDS Number:	Date of last issue: 01.12.2020
2.1	06.02.2023	6008961	Date of first issue: 06.02.2023

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.

#### **SECTION 16: Other information**

Full text of H-Statements H351	:	Suspected of causing cancer if inhaled.		
Full text of other abbreviations				
Carc.	:	Carcinogenicity		
DE TRGS 527 DE TRGS 900	:	Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values.		
DE TRGS 527 / BM	:	Assessment scale		
DE TRGS 900 / AGW	:	Time Weighted Average		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; (ENS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances (INC - International Maritime Dangerous Goods; IMO - International Maritime Organization; IECSC - Inventy and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Love; INCEL - No Observed (Adverse) Effect Leve; INCEL - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Pre

#### Further information

#### Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

#### Sources of key data used to compile the Material Safety Data Sheet:

#### ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials



# Rustikputz K 30

Version	Revision Date:	SDS Number:	Date of last issue: 01.12.2020
2.1	06.02.2023	6008961	Date of first issue: 06.02.2023

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN