Latex Satin 20 Basis 1



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
7.0	13.02.2024	6001483	Date of first issue: 31.10.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	Latex Satin 20 Basis 1
1.2 Relevant identified uses of t	the s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	e saf	ety data sheet
Company	:	Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone	:	+496154710
Telefax	:	+4961547170222
Website E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com
1.4 Emergency telephone		

1.4 Emergency telephone

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labeling

- EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2Hisothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Latex Satin 20 Basis 1



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
7.0	13.02.2024	6001483	Date of first issue: 31.10.2019

breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Emulsion paint, aqueous

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No.		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Registration number		
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 10 - < 20
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 >= 0,05 %	>= 0,025 - < 0,05

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Latex Satin 20 Basis 1



rsion Revision Date: 13.02.2024	SDS Number: 6001483	Date of last issue: 23.02.2023 Date of first issue: 31.10.2019
	I	
reaction mass of 5-chloro-2 methyl-2H-isothiazol-3-one methyl-2H-isothiazol-3-one	and 2- (3:1) 613-167-00 01-2120764	Acute Tox. 2; H330 0,0015 Acute Tox. 2; H310
Substances with a workpla kaolin	<u>ce exposure limit :</u> 1332-58-7 310-194-1	>= 1 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.

Latex Satin 20 Basis 1



Version 7.0	Revision Date: 13.02.2024	SDS Number: 6001483	Date of last issue: 23.02.2023 Date of first issue: 31.10.2019
In cas	e of skin contact		e solvents or thinners. ontact, immediately flush skin with soap and plenty
In case of eye contact		IF IN EYES:	on persists: Get medical advice/ attention. Rinse cautiously with water for several minutes. ntact lenses, if present and easy to do. Continue
lf swa	llowed		al advice. h with water and drink afterwards plenty of water. , DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing media	:	None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
---------------------------------------	---	---

5.3 Advice for firefighters

Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Standard procedure for chemical fires. The product itself does not burn.

Latex Satin 20 Basis 1



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
7.0	13.02.2024	6001483	Date of first issue: 31.10.2019

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing. 				
6.2 Environmental precautions Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.			
6.3 Methods and material for conta Methods for cleaning up :				
memous for cleaning up .	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).			

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling :	For personal protection see section 8. No special technical protective measures required.
	In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures :	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.
7.2 Conditions for safe storage, inc	cluding any incompatibilities
Requirements for storage : areas and containers	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage :	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510) :	12

Latex Satin 20 Basis 1



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
7.0	13.02.2024	6001483	Date of first issue: 31.10.2019

7.3 Specific end use(s)

Specific use(s)

: This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
titanium dioxide; [in	13463-67-7	AGW (Inhalable	10 mg/m3	DE TRGS
powder form con-		fraction)	(Titanium dioxide)	900
taining 1 % or				
more of particles				
with aerodynamic				
diameter ≤ 10 µm]				
	Peak-limit category: 2;(II)			
	Further information: When there is compliance with the OEL and biological			
	tolerance values, there is no risk of harming the unborn child			
		AGW (Alveolate	1,25 mg/m3	DE TRGS
		fraction)	(Titanium dioxide)	900
	Peak-limit category: 2;(II)			
	Further information: When there is compliance with the OEL and biological			
	tolerance values, there is no risk of harming the unborn child			
		BM (Alveolar	0,5 mg/m3	DE TRGS
		dust fraction)		527
kaolin	1332-58-7	TWA (Respirable	0,1 mg/m3	2004/37/EC
		dust)	-	
	Further information: Carcinogens or mutagens			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



Latex Satin 20 Basis 1

Version 7.0	Revision Date: 13.02.2024		DS Number: 01483	Date of last issue: 23.02.2 Date of first issue: 31.10.2	
					weight (d.w.)
			Sea water		0,0184 mg/l
			Fresh water s		1000 mg/kg dry weight (d.w.)
			Sea sediment		100 mg/kg dry weight (d.w.)
			Intermittent us	se/release	0,193 mg/l
.2 Expos	sure controls				
Perse	onal protective equip	ment			
Eye/f	ace protection	:	DGUV Regulat	on 112-192 - Use of eye and t	face protection
			Goggles		
M: Gl	protection aterial ove thickness otective index	:	Nitrile rubber 0,2 mm Class 3		
Re	emarks	:	Wear suitable g	g gloves clean them with soap loves tested to EN374. on 112-195 - Use of protective	
Skin	and body protection	:	Safety shoes Long sleeved c	othing	
				rotection according to the amore dangerous substance at the	
			Skin should be	washed after contact.	
Resp	iratory protection	:	No personal rea	piratory protective equipment	normally re-
				pplication: Do not breathe spra tion filter for paint spraying.	ay dust. Use
			DGUV Regulat	on 112-190 - Use of breathing	g equipment

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Color	: white
Odor	: characteristic

Latex Satin 20 Basis 1



Version Revision Date: 7.0 13.02.2024		S Number: 1483	Date of last issue: 23.02.2023 Date of first issue: 31.10.2019	
Melting point/freezing point	:	ca. 0 °C		
Boiling point/boiling range	:	ca. 100 °C		
Upper explosion limit / Upp flammability limit	er :	not determined	3	
Lower explosion limit / Low flammability limit	er :	not determined	3	
Flash point	:	Not applicable		
Autoignition temperature	:	not determined	3	
Decomposition temperature	e :	Not applicable		
рН	:	8,5 (20 °C) Concentration: Method: DIN E	100 % N ISO 19396-1:2020-05	
Viscosity				
Viscosity, dynamic	:	> 100 mPa.s (Method: ISO 3		
Viscosity, kinematic	:	not determined	ł	
Flow time	:	not determined	ł	
Solubility(ies) Water solubility	:	completely mis	scible	
Partition coefficient: n- octanol/water	:	Not applicable		
Vapor pressure	:	ca. 23,4 hPa (2	20 °C)	
Relative density	:	not determined	ł	

Latex Satin 20 Basis 1



Version 7.0	Revision Date: 13.02.2024	SDS Number: 6001483	Date of last issue: 23.02.2023 Date of first issue: 31.10.2019	
Dens	sity	: 1,39 g/cm3 (Method: DIN	20 °C) EN ISO 2811-1	
Bulk	density	: Not applicab	le	
Relat	tive vapor density	: Not applicab	le	
	information			
Explo	osives	: Not applicab	le	
Oxidi	izing properties	: Not applicab	le	
Flam	mability (liquids)	: The product	is not flammable.	
SECTIO	N 10: Stability and	reactivity		
10.1 Read	•			
No de	ecomposition if stored	and applied as direc	ted.	
	mical stability	and an line of the	(I	
NO de	ecomposition if stored	and applied as direc	tea.	

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	Protect from frost, heat and sunlight.
---------------------	---	--

10.5 Incompatible materials

Materials to avoid

: Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

Latex Satin 20 Basis 1



Version	Revision Date:	SDS Number:	Date
7.0	13.02.2024	6001483	Date

Date of last issue: 23.02.2023 Date of first issue: 31.10.2019

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity						
Not classified based on availab	le information.					
Components:						
1,2-benzisothiazol-3(2H)-one:						
Acute oral toxicity	: LD50 (Rat): 532 mg/kg					
Acute inhalation toxicity	: LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist					
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg					
reaction mass of 5-chloro-2-r (3:1):	nethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one					
Acute oral toxicity	: LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401					
Acute inhalation toxicity	: LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403					
Acute dermal toxicity	: LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402					
Skin corrosion/irritation						
Not classified based on availab	le information.					
Serious eye damage/eye irrita	ation					
Not classified based on availab	le information.					
Respiratory or skin sensitizat	ion					
Skin sensitization	Skin sensitization					
Not classified based on available information.						
Respiratory sensitization						
Not classified based on available information.						
Germ cell mutagenicity						
Not classified based on available information.						
Carcinogenicity						
Not classified based on availab	le information.					

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Latex Satin 20 Basis 1

Version Revision Date: 7.0 13.02.2024

SDS Number: 6001483

Date of last issue: 23.02.2023 Date of first issue: 31.10.2019

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

2

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic toxicity)	:	1

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Latex Satin 20 Basis 1



Version 7.0	Revision Date: 13.02.2024	SDS Number: 6001483	Date of last issue: 23.02.2023 Date of first issue: 31.10.2019
7.0	13.02.2024	0001465	Date of first issue. 31.10.2019
M-Fa icity)	ctor (Acute aquatic tox-	: 100	
M-Fa toxici	ctor (Chronic aquatic ty)	: 100	
	istence and degradabil ata available	ity	
12.3 Bioa	ccumulative potential		
Com	ponents:		
Partit	enzisothiazol-3(2H)-on ion coefficient: n- ol/water	e: : log Pow: 0,63 · pH: 7	- 0,76
react (3:1):		-methyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one
Partit	ion coefficient: n- ol/water	: log Pow: <= 0, Method: OECE	75) Test Guideline 117
	i lity in soil ata available		
12.5 Resu	llts of PBT and vPvB a	ssessment	
<u>Prod</u>	uct:		
Asse	ssment	to be either pe	e/mixture contains no components considered rsistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
12.6 Endo	ocrine disrupting prope	erties	
Prod	uct:		
Asse	ssment	ered to have e REACH Article	/mixture does not contain components consid- ndocrine disrupting properties according to 57(f) or Commission Delegated regulation 0 or Commission Regulation (EU) 2018/605 at or higher.
12.7 Othe	r adverse effects		
Prod	uct:		
Addit matic	ional ecological infor- n		ntal hazard cannot be excluded in the event of handling or disposal.

Latex Satin 20 Basis 1



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
7.0	13.02.2024	6001483	Date of first issue: 31.10.2019

SECTION 13: Disposal considerations

13.1 Waste treatment methods

 Music il cuillent methods		
Product	:	
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.2 UN proper shipping nan	ne
ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.3 Transport hazard class((es)
ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.4 Packing group	
ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
	10/17

Latex Satin 20 Basis 1



Version 7.0	Revision Date: 13.02.2024	SDS Number: 6001483	Date of last issue: 23.02.2023 Date of first issue: 31.10.2019		
IMDG	3	: Not regulate	d as a dangerous good		
IATA (Cargo)		: Not regulate	Not regulated as a dangerous good		
IATA (Passenger)		: Not regulate	Not regulated as a dangerous good		
	ronmental hazards egulated as a dangero	us good			
14.6 Spec	ial precautions for u	ser			
Rema	arks	: Not classifie lations.	d as dangerous in the meaning of transport regu-		

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

c			
	REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.
	REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	None
	Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
	Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
	REACH - List of substances subject to authorisation (Annex XIV)	:	None
	Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	Not	applicable
	Water hazard class (Germa- : WGK 2 obviously haz ny) Classification accordin		us to water AwSV, Annex 1 (5.2)
-	Product code for laquers and : M-DF01 Water-based	l pair	nts, solvent-free

paints / Giscode

Latex Satin 20 Basis 1



Version 7.0	Revision Date: 13.02.2024	SDS Number 6001483	T: Date of last issue: 23.02.2023 Date of first issue: 31.10.2019
		: BSW20 C	Coating materials, water-based
Volati	le organic compounds	emission	2010/75/EU of 24 November 2010 on industrial s (integrated pollution prevention and control) rganic compounds (VOC) content: 0,04 %
Volatile organic compounds		: Directive 2004/42/EC < 0.1 % < 1 g/l	

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301 H302 H310 H314 H315 H317 H318 H330 H351 H400 H410 H411 EUH071		Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Suspected of causing cancer if inhaled. Very toxic to aquatic life. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Corrosive to the respiratory tract.
Full text of other abbreviation	ons	
Acute Tox. Aquatic Acute Aquatic Chronic Carc. Eye Dam. Skin Corr. Skin Irrit. Skin Sens. 2004/37/EC		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Carcinogenicity Serious eye damage Skin corrosion Skin irritation Skin sensitization Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
DE TRGS 527 DE TRGS 900 2004/37/EC / TWA DE TRGS 527 / BM DE TRGS 900 / AGW	:	Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values. Long term exposure limit Assessment scale

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Latex Satin 20 Basis 1



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
7.0	13.02.2024	6001483	Date of first issue: 31.10.2019

German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration, ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Miritime Organization; IECSC - Inventry and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; DS0 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; no.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Substances of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; T

Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Latex Satin 20 Basis 1



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
7.0	13.02.2024	6001483	Date of first issue: 31.10.2019

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN