

Latex Samt 10 Basis 2			
Version Revision Date:	SDS Number:	Date of last issue: 25.01.2023	
6.0 26.01.2024	6001119	Date of first issue: 26.01.2024	
SECTION 1: Identification of	the substance/mixt	ure and of the company/undertaking	
1.1 Product identifier			
Trade name	: Latex Samt 10 Ba	isis 2	
1.2 Relevant identified uses of t	he substance or mixtu	ure and uses advised against	
Use of the Sub-	: Water-borne coat	-	
stance/Mixture			
Recommended restrictions on use	: within adequate a	pplication - none	
1.3 Details of the supplier of the	safety data sheet		
Company	: Caparol Farben L Roßdörfer Straße		
	64372 Ober-Ram		
Telephone	: +496154710		
Telefax	: +4961547170222		
Website	:		
E-mail address Responsi- ble/issuing person	: msds@dr-rmi.con	1	
1.4 Emergency telephone			
Emergency telephone 1	: +49613284463 G	BK GmbH	
SECTION 2: Hazards identification			

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labeling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-



Latex Samt 10 Basis 2

Version	Revision Date:	SDS Number:	Date of last issue: 25.01.2023	
6.0	26.01.2024	6001119	Date of first issue: 26.01.2024	

isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Emulsion paint, aqueous

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No.		(/0 11/11)
	Registration number		
titanium dioxide; [in powder form	13463-67-7	Carc. 2; H351	>= 1 - < 10
containing 1 % or more of parti-	236-675-5		
cles with aerodynamic diameter ≤	022-006-00-2		
10 µm]	01-2119489379-17		
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,025 - <
	220-120-9	Skin Irrit. 2; H315	0,05
	613-088-00-6	Eye Dam. 1; H318	
	01-2120761540-60	Skin Sens. 1; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 2;	
		Acute Tox. 2; H330	
		M-Factor (Acute	
		aquatic toxicity): 1	
		M-Factor (Chronic	
			1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Latex Version 6.0	Samt 10 Basis 2 Revision Date: 26.01.2024	SDS	S Number: 1119		of last issue: 25.01.2023 of first issue: 26.01.2024	
meth	tion mass of 5-chloro-2- nyl-2H-isothiazol-3-one a nyl-2H-isothiazol-3-one (55965-84-9 613-167-00-5		aquatic toxicity): 1 	>= 0,0002 - < 0,0015
meu	iyi-zi i-isoli ilazoi-3-one (5.1)	01-2120764691	-48	Skin Corr. 1C; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
					specific concentration limit Skin Corr. 1C; H314 >= $0,6 \%$ Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= $0,0015 \%$ Eye Dam. 1; H318 >= $0,6 \%$	

For explanation of abbreviations see section 16.

:

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where



Latex	Samt 10 Basis 2		
Version 6.0	Revision Date: 26.01.2024	SDS Number 6001119	Date of last issue: 25.01.2023 Date of first issue: 26.01.2024
 If inh		possible). Move out	of dangerous area. needs to protect himself.
	aleu	. 1000001011	
In ca	se of skin contact		se solvents or thinners. contact, immediately flush skin with soap and plenty
In ca	se of eye contact	IF IN EYE	ation persists: Get medical advice/ attention. S: Rinse cautiously with water for several minutes. contact lenses, if present and easy to do. Continue
lf sw	allowed		lical advice. uth with water and drink afterwards plenty of water. ed, DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing media	:	None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
		DUIIS (SITIUKE).

5.3 Advice for firefighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if nec-



Latex S	Samt 10 Basis 2	2		
Version	Revision Date:	SDS Number:	Date of last issue: 25.01.2023	
6.0	26.01.2024	6001119	Date of first issue: 26.01.2024	
	e-fighters er information	•	edure for chemical fires. self does not burn.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing. 6.2 Environmental precautions

Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
		Do not hush into surface water of samilary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling :	For personal protection see section 8. No special technical protective measures required.
	In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures :	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Perishable if frozen. To maintain product quality, do not store
areas and containers		in heat or direct sunlight. Store at room temperature in the



Late	Latex Samt 10 Basis 2				
Versio 6.0	on Revision Date: 26.01.2024	SDS Number: 6001119	Date of last issue: 25.01.2023 Date of first issue: 26.01.2024		
		original containe	er. Containers which are opened must be care- ad kept upright to prevent leakage.		
Advice on common storage		: Keep away from materials.	oxidizing agents and strongly acid or alkaline		
Storage class (TRGS 510)		: 12			
7.3 Specific end use(s) Specific use(s)		: This information	is not available.		

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

P P					
Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900	
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
	AGW (Alveolate 1,25 mg/m3 DE TRG				
		fraction)	(Titanium dioxide)	900	
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological				
	tolerance values, there is no risk of harming the unborn child				
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
calcium carbonate	Consumers	Ingestion	Long-term systemic effects	6,10 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Consumers	Ingestion	Acute systemic ef- fects	6,10 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3



Latex Samt 10 Basis 2

Version 6.0	Revision Date: 26.01.2024	SDS Numl 6001119	per:	Date of last issue: 25.01.2023 Date of first issue: 26.01.2024	
powd ing 1 partic	um dioxide; [in er form contain- % or more of les with aerody- c diameter ≤ 10	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
		Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
calcium carbonate	Sewage treatment plant	100 mg/l
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection
		Goggles
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves
Skin and body protection	:	Safety shoes Long sleeved clothing
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
		Skin should be washed after contact.



Latex Samt 10 Basis 2					
Version 6.0	Revision Date: 26.01.2024	SDS Number: 6001119	Date of last issue: 25.01.2023 Date of first issue: 26.01.2024		
Respir	atory protection	quired. During spray a A2/P2 combin	espiratory protective equipment normally re- application: Do not breathe spray dust. Use ation filter for paint spraying. tion 112-190 - Use of breathing equipment		

SECTION 9: Ph	ysical and	chemical	properties
---------------	------------	----------	------------

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	characteristic
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8,0 (20 °C) Concentration: 100 % Method: DIN EN ISO 19396-1:2020-05



Version 6.0	Revision Date: 26.01.2024	- SDS Numb 6001119	ber: Date of last issue: 25.01.2023 Date of first issue: 26.01.2024
Viscos Vis	sity scosity, dynamic		mPa.s (20 °C) od: ISO 3219
Vis	scosity, kinematic	: not de	etermined
Flow t	ime	: not de	etermined
	ility(ies) ater solubility	: comple	letely miscible
	on coefficient: n- ol/water	: Not ap	oplicable
Vapor	pressure	: ca. 23	3,4 hPa (20 °C)
Relati	ve density	: not de	etermined
Densi	ty	: 1,30 g Metho	g/cm3 (20 °C) od: DIN EN ISO 2811-1
Bulk d	lensity	: not de	etermined
Relati	ve vapor density	: Not ap	oplicable
9 .2 Other i Explos	information sives	: Not ap	oplicable
Oxidiz	zing properties	: Not ap	oplicable
Flamn	nability (liquids)	: The pr	roduct is not flammable.



Latex Samt 10 Basis 2

Version	Revision Date:	SDS Number:
6.0	26.01.2024	6001119

Date of last issue: 25.01.2023 Date of first issue: 26.01.2024

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	: No decomposition if stored and applied as directed.
---------------------	-------------------------------------------------------

10.4 Conditions to avoid

Conditions to avoid	:	Protect from frost, heat and sunlight.
---------------------	---	----------------------------------------

10.5 Incompatible materials

Materials to avoid

: Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

Acute oral toxicity

1,2-benzisothiazol-3(2H)-one:

2		
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

reaction mass of 5-chlo	pro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
(3:1):	
Acute oral toxicity	· I D50 (Rat): 66 mg/kg

: LD50 (Rat): 532 mg/kg

	·	Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 0,17 mg/l



Late	x Sar	nt 10 Basis 2			
Versio	n F	Revision Date:		DS Number:	Date of last issue: 25.01.2023
6.0	2	6.01.2024	60	001119	Date of first issue: 26.01.2024
				Exposure time: 4 Test atmosphere: Method: OECD T	
A	cute der	mal toxicity	:	LD50 (Rat): > 14 ² Method: OECD T	I mg/kg est Guideline 402
S	kin corr	osion/irritation			
Ν	lot class	ified based on availa	able	information.	
S	erious e	eye damage/eye irr	itat	ion	
Ν	lot class	ified based on availa	able	information.	
R	espirate	ory or skin sensitiz	atio	on	
S	kin sen	sitization			
Ν	lot class	ified based on availa	able	information.	
R	espirate	ory sensitization			
Ν	lot class	ified based on availa	able	information.	
		I mutagenicity			
		ified based on availa	able	information.	
	arcinog	-		information	
		fied based on availa	adie	information.	
	-	ctive toxicity ified based on availa	ahle	information	
		ngle exposure			
		ified based on availa	able	information.	
S	TOT-rei	peated exposure			
	•	ified based on availa	able	information.	
Α	spiratio	n toxicity			
Ν	lot class	ified based on availa	able	information.	
11.2 lr	nformat	ion on other hazard	ds		
E	ndocrin	e disrupting prope	ertie	S	
	roduct: .ssessm	ent	:	ered to have endo REACH Article 57	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.



Latex Samt 10 Basis 2

Version	Revision Date: 26.01.2024	SDS Number:	Date of last issue: 25.01.2023
6.0		6001119	Date of first issue: 26.01.2024

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one: Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Toxicity to daphnia and other : EC50 (Daphnia): 3,27 mg/l aquatic invertebrates Exposure time: 48 h Method: OECD Test Guideline 202 EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Toxicity to algae/aquatic plants Exposure time: 72 h Method: OECD Test Guideline 201 M-Factor (Acute aquatic tox- : 1 icity) M-Factor (Chronic aquatic : 1 toxicity) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1): M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

1,2-benzisothiazol-3(2H)-one:

Partition coefficient: n- : log Pow: 0,63 - 0,76 octanol/water pH: 7

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Partition coefficient: n- : log Pow: <= 0,75



Version 6.0	Revision Date: 26.01.2024	SDS Number: 6001119	Date of last issue: 25.01.2023 Date of first issue: 26.01.2024
octan	ol/water	Method: OEC	D Test Guideline 117
Ucian	ol/water	Method: DECL	
	lity in soil ata available		
12.5 Resu	lts of PBT and vPvB a	assessment	
Prod	uct:		
Asse	ssment	to be either pe	e/mixture contains no components considered rsistent, bioaccumulative and toxic (PBT), or t and very bioaccumulative (vPvB) at levels of c.
12.6 Endo	ocrine disrupting prop	erties	
Prod	uct:		
Asse	ssment	ered to have e REACH Article	e/mixture does not contain components consid- ndocrine disrupting properties according to a 57(f) or Commission Delegated regulation 00 or Commission Regulation (EU) 2018/605 at or higher.
12.7 Othe	r adverse effects		
Prod	uct:		
Additi matio	onal ecological infor- n		ntal hazard cannot be excluded in the event of I handling or disposal.
SECTION	13: Disposal cons	iderations	
13.1 Wast	e treatment methods		
Produ	ıct	: .	
		Waste should	not be disposed of via wastewater.
Conta	aminated packaging	: Only complete cling.	ly emptied containers should be given for recy-
Wast	e Code	: used product 080112, waste in 08 01 11*	e paint and varnish other than those mentioned

SECTION 14: Transport information

14.1 UN number or ID number



Version 6.0	Revision Date: 26.01.2024	SDS Numb 6001119	er: Date of last issue: 25.01.2023 Date of first issue: 26.01.2024
	20.01.2024	0001119	Date of 11131 1350E. 20.01.2024
ADN		: Not reg	ulated as a dangerous good
ADR		-	ulated as a dangerous good
RID		: Not reg	ulated as a dangerous good
IMDO	3	: Not reg	ulated as a dangerous good
ΙΑΤΑ		: Not reg	ulated as a dangerous good
14.2 UN p	roper shipping name	9	
ADN		: Not reg	ulated as a dangerous good
ADR		-	ulated as a dangerous good
RID		: Not reg	ulated as a dangerous good
IMDO	6	: Not reg	ulated as a dangerous good
ΙΑΤΑ		: Not reg	ulated as a dangerous good
14.3 Tran	sport hazard class(e	s)	
ADN		: Not reg	ulated as a dangerous good
ADR		: Not reg	ulated as a dangerous good
RID		: Not reg	ulated as a dangerous good
IMDO	6	: Not reg	ulated as a dangerous good
ΙΑΤΑ		: Not reg	ulated as a dangerous good
14.4 Pack	ing group		
ADN		: Not reg	ulated as a dangerous good
ADR		: Not reg	ulated as a dangerous good
RID		: Not reg	ulated as a dangerous good
IMDO	6	: Not reg	ulated as a dangerous good
ΙΑΤΑ	(Cargo)	: Not reg	ulated as a dangerous good
ΙΑΤΑ	(Passenger)	: Not reg	ulated as a dangerous good
14.5 Envi	ronmental hazards		
	egulated as a dangero	-	
•	ial precautions for u		
Rema	arks	: Not clas	sified as dangerous in the meaning of transport regu-

14.7 Maritime transport in bulk according to IMO instruments

lations.

Not applicable for product as supplied.



Latex S	Samt 10 Basis	2	
Version	Revision Date:	SDS Number:	Date of last issue: 25.01.2023
6.0	26.01.2024	6001119	Date of first issue: 26.01.2024

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix- ture	
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the fol- lowing entries should be considered Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.	•
 REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59). This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated. 	
Regulation (EC) No 1005/2009 on substances that de- : Not applicable plete the ozone layer	
Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)	
REACH - List of substances subject to authorisation : None (Annex XIV)	
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	
Water hazard class (Germa- : WGK 1 slightly water endangering ny) Classification according to AwSV, Annex 1 (5.2)	
Product code for laquers and : M-DF01 Water-based paints, solvent-free paints / Giscode	
. : BSW20 Coating materials, water-based	
Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,04 %	
Volatile organic compounds : Directive 2004/42/EC	



Latex Samt 10 Basis 2

Version 6.0	Revision Date: 26.01.2024	SDS Number: 6001119	Date of last issue: 25.01.2023 Date of first issue: 26.01.2024	
		< 0.1 % < 1 g/l		

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H310	:	Fatal in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H351	:	Suspected of causing cancer if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
EUH071	:	Corrosive to the respiratory tract.
Full text of other abbreviation	ns	
Full text of other abbreviation Acute Tox.	ns :	Acute toxicity
	ns : :	Acute toxicity Short-term (acute) aquatic hazard
Acute Tox.	ns : :	
Acute Tox. Aquatic Acute	ns : : :	Short-term (acute) aquatic hazard
Acute Tox. Aquatic Acute Aquatic Chronic	ns : : :	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard
Acute Tox. Aquatic Acute Aquatic Chronic Carc.	ns : : : :	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Carcinogenicity
Acute Tox. Aquatic Acute Aquatic Chronic Carc. Eye Dam.	:	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Carcinogenicity Serious eye damage
Acute Tox. Aquatic Acute Aquatic Chronic Carc. Eye Dam. Skin Corr.	:	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Carcinogenicity Serious eye damage Skin corrosion
Acute Tox. Aquatic Acute Aquatic Chronic Carc. Eye Dam. Skin Corr. Skin Irrit. Skin Sens. DE TRGS 527	:	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Carcinogenicity Serious eye damage Skin corrosion Skin irritation Skin sensitization Germany. TRGS 527 - Activities with nanomaterials
Acute Tox. Aquatic Acute Aquatic Chronic Carc. Eye Dam. Skin Corr. Skin Irrit. Skin Sens. DE TRGS 527 DE TRGS 900		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Carcinogenicity Serious eye damage Skin corrosion Skin irritation Skin sensitization Germany. TRGS 527 - Activities with nanomaterials
Acute Tox. Aquatic Acute Aquatic Chronic Carc. Eye Dam. Skin Corr. Skin Irrit. Skin Sens. DE TRGS 527		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Carcinogenicity Serious eye damage Skin corrosion Skin irritation Skin sensitization Germany. TRGS 527 - Activities with nanomaterials

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equiptory of Existing Chemical Substances in Bulk; ICSO - Half maximal inhibitory concentration; ICAO - International Maritime Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization of Pollution (EDS - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPCL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Eco



Latex Samt 10 Basis 2			
Version	Revision Date: 26.01.2024	SDS Number:	Date of last issue: 25.01.2023
6.0		6001119	Date of first issue: 26.01.2024

by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN