Capatect ArmaReno 700



Version	Revision Date:	SDS Number:	Date of last issue: 07.02.2023
3.0	09.02.2024	6021387	Date of first issue: 14.10.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	: Capatect ArmaReno 70	00
1.2 Relevant identified uses of t	e substance or mixture a	nd uses advised against
Use of the Sub- stance/Mixture	: Cement	
Recommended restrictions on use	: within adequate applica	ation - none
1.3 Details of the supplier of the	safety data sheet	
Company	: Caparol Farben Lacke Roßdörfer Straße 50 64372 Ober-Ramstadt	
Telephone	: +496154710	
Telefax	: +4961547170222	
Website E-mail address Responsi- ble/issuing person	: : msds@dr-rmi.com	
1.4 Emergency telephone		
Emergency telephone 1	: +49613284463 GBK G	mbH
SECTION 2: Hazards identified	ation	
2.1 Classification of the substa	ce or mixture	
Classification (REGULATIO	N (EC) No 1272/2008)	
Skin irritation, Category 2	H315: Caus	es skin irritation.
Serious eye damage, Catego	y 1 H318: Caus	es serious eye damage.
2.2 Label elements		
Labelling (REGULATION (E	C) No 1272/2008)	
Hazard pictograms		

Signal Word

Danger

:

Capatect ArmaReno 700



	Version 3.0	Revision Date: 09.02.2024		DS Number: 021387	Date of last issue: 07.02.2023 Date of first issue: 14.10.2020
_					
	Hazard	Statements	:	H315	Causes skin irritation.
				H318	Causes serious eye damage.
	Precau	tionary Statements	:	P101	If medical advice is needed, have product con- tainer or label at hand.
				P102	Keep out of reach of children.
				P103	Read carefully and follow all instructions.
				Prevention	:
				P264	Wash skin thoroughly after handling.
				P280	Wear protective gloves/ eye protection/ face pro- tection.
				Response:	
				P305 + P35	1 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rins- ing. Immediately call a POISON CENTER/ doctor.

Hazardous ingredients which must be listed on the label:

Cement, portland, chemicals calcium dihydroxide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The product contains chromate reducers, as a result of which the water-soluble chromium (VI) content is less than 0,0002%. In the event of incorrect storage (ingress of moisture) or overlong storage, the chromate reducers contained in the product can lose their efficacy and a sensitising effect of the cement / binding agent may occur in the event of contact with the skin (H317 or EUH203).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Cement mortar with hydrated lime

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Capatect ArmaReno 700



ersion 0	Revision Date: 09.02.2024	SDS Number: 6021387	Date of last issue: 07.02.2023 Date of first issue: 14.10.2020
		Index-No. Registration	number
Ceme	ent, portland, chemical	65997-15-1 266-043-4	Skin Irrit. 2; H315 >= 10 - < 20
calciu	ım dihydroxide	1305-62-0 215-137-3 01-2119475 ⁻ 01-21198225 01-21198620	534-42,
Subst	tances with a workplac	e exposure limit :	
Quart	iz (SiO2)	14808-60-7 238-878-4 01-21207705	509-45

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

	General advice	:	Move out of dangerous area. First aider needs to protect himself. Never give anything by mouth to an unconscious person.
	If inhaled	:	If symptoms persist, call a physician. If breathed in, move person into fresh air.
	In case of skin contact	:	If symptoms persist, call a physician. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
	In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.
4.2	Most important symptoms ar	nd e	ffects, both acute and delayed
	Risks	:	Eye contact with the powder (dry or wet) may cause serious and potentially irreversible injuries. The powder (combined with perspiration) can form an alkaline solution. That may cause skin irritation.
			Causes skin irritation.

Capatect ArmaReno 700



Version 3.0	Revision Date: 09.02.2024	SDS Number: 6021387	Date of last issue: 07.02.2023 Date of first issue: 14.10.2020
		Causes serie	ous eye damage.
4.3 Indica	tion of any immediate	medical attentio	n and special treatment needed
Treat	ment	: Show this m ance.	aterial safety data sheet to the doctor in attend-
SECTION	N 5: Firefighting mea	sures	
5.1 Exting	guishing media		
Suita	ble extinguishing media	: Not combust Do not use a fire.	tible. a solid water stream as it may scatter and spread
Unsu media	itable extinguishing a	: Not applicab	le
5.2 Specia	al hazards arising from	the substance of	or mixture
-	ific hazards during fire	: Even diluted irritation.	mixed products containing cement can cause ment suspensions have an alkaline effect.
53 Advic	e for firefighters		
	er information	be disposed	s and contaminated fire extinguishing water mus of in accordance with local regulations. itself does not burn.
SECTION	N 6: Accidental releas	se measures	
6.1 Perso	nal precautions, protec	ctive equipment	and emergency procedures
Perso	onal precautions	: Ensure adec Avoid dust fo	uate ventilation. prmation.
6.2 Enviro	onmental precautions		
Envir	onmental precautions	: If the produc respective a	t contaminates rivers and lakes or drains inform uthorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Collect spilled product while avoiding dust formation and dispose of it as described in Section 13.

Prevent dust from forming and collect any dust mechanically.

Do not flush into surface water or sanitary sewer system.

Capatect ArmaReno 700



Version	Revision Date:	SDS Number:	Date of last issue: 07.02.2023
3.0	09.02.2024	6021387	Date of first issue: 14.10.2020

6.4 Reference to other sections

For personal protection see section 8., For further information see Section 7 of the safety data sheet. , For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	ng	
Advice on safe handling	:	For personal protection see section 8. Even diluted mixed products containing cement can cause irritation. Avoid contact with skin and eyes. Avoid creating dust.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Advice on protection against fire and explosion	:	The product is not flammable.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.
7.2 Conditions for safe storage	inc	luding any incompatibilities
7.2 Conditions for safe storage Requirements for storage areas and containers	, inc :	luding any incompatibilities Observe label precautions. Keep in a dry, cool place.
Requirements for storage	, inc : :	Observe label precautions. Keep in a dry, cool place. Never allow product to get in contact with water during stor-
Requirements for storage areas and containers	inc :	Observe label precautions. Keep in a dry, cool place.
Requirements for storage areas and containers	, inc : :	Observe label precautions. Keep in a dry, cool place. Never allow product to get in contact with water during stor- age.
Requirements for storage areas and containers Advice on common storage	:	Observe label precautions. Keep in a dry, cool place. Never allow product to get in contact with water during stor- age. Do not store together with acids and ammonium salts.
Requirements for storage areas and containers Advice on common storage Storage class (TRGS 510) Further information on stor-	:	Observe label precautions. Keep in a dry, cool place. Never allow product to get in contact with water during stor- age. Do not store together with acids and ammonium salts. 13

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Quartz (SiO2)	14808-60-7	TWA (Respirable	0,1 mg/m3	2004/37/EC

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Capatect ArmaReno 700



ersion .0	Revision Dat 09.02.2024	te: SDS 6021	Number: 387	Date of last issue: 07.02.2023 Date of first issue: 14.10.2020	
			dust)		
		Further inform	nation: Carcinoge	ns or mutagens	
calciur ide	n dihydrox-	1305-62-0	TWA (Respirab fraction)	le 1 mg/m3	2017/164/EU
		Further inform	ation: Indicative		•
			STEL (Respira- ble fraction)	4 mg/m3	2017/164/EU
		Further inform	hation: Indicative		
			AGW (Inhalable	e 1 mg/m3	DE TRGS
			fraction)		900
		Peak-limit cat	egory: 2;(I)	•	
		Further inform	ation: When the	e is compliance with the OFL a	nd hiological

Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	
calcium dihydroxide	Workers	Inhalation	Acute systemic ef- fects	4,00 mg/m3
	Workers	Inhalation	Acute local effects	4,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	1,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
	Environmental Compartment	
calcium dihydroxide	Intermittent use/release	356 µg/l
	Fresh water	356 µg/l
	Soil	1070 mg/kg dry
		weight (d.w.)
	Sea water	356 µg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	If dust develops or there is a danger of splashing, use protec- tive goggles with side protection.
		DGUV Regulation 112-192 - Use of eye and face protection
Hand protection		
Material	:	nitrile coated cotton gloves
Break through time	:	> 480 min
Glove thickness	:	0,8 mm
Protective index	:	Class 6
Remarks	:	Keep a spare pair of gloves handy. If the chemical has soaked through to the skin, the gloves must be removed and disposed.
		DGUV Regulation 112-195 - Use of protective gloves
Skin and body protection	:	Remove and wash contaminated clothing before re-use.

Capatect ArmaReno 700



Version 3.0	Revision Date: 09.02.2024	SDS Number: 6021387	Date of last issue: 07.02.2023 Date of first issue: 14.10.2020			
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place. Safety shoes Long sleeved clothing				
		Skin should be	e washed after contact.			
Resp	iratory protection	: Do not breathe Breathing appa	e dust. aratus only if aerosol or dust is formed.			
		DGUV Regula	tion 112-190 - Use of breathing equipment			
Fil	lter type	: Half mask with	a particle filter P2 (EN 143)			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state		powder
Color	:	off-white
Odor	:	cement-like
Odor Threshold	:	Not relevant
Melting point/freezing point	:	Not applicable
Boiling point/boiling range	:	Not applicable
Flammability	:	The product is not flammable.
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined

Capatect ArmaReno 700



Ver 3.0	sion	Revision Date: 09.02.2024		9S Number: 21387	Date of last issue: 07.02.2023 Date of first issue: 14.10.2020
	Decon	nposition temperature	:	Not applicable	
	рН		:	11 - 13 (20 °C) Concentration: 1 Method: DIN EN in contact with w	ISO 19396-1:2020-05
	Viscos Vis	sity cosity, dynamic	:	Not applicable	
	Vis	cosity, kinematic	:	Not applicable	
	Flow t	ime	:	Not applicable	
		lity(ies) ater solubility	:	insoluble	
		on coefficient: n- bl/water	:	not determined	
	Vapor	pressure	:	not determined	
	Relativ	ve density	:	not determined	
	Bulk d	ensity	:	1.350 - 1.650 kg	/m3
	Relativ	ve vapor density	:	not determined	
9.2	Other i Explos	nformation sives	:	Not applicable	
	Oxidiz	ing properties	:	Not applicable	
	Self-ig	nition	:	Not applicable	
	Evapo	ration rate	:	Not applicable	

Capatect ArmaReno 700



Version F 3.0 C

Revision Date: 09.02.2024

SDS Number: 6021387

Date of last issue: 07.02.2023 Date of first issue: 14.10.2020

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

:

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid

: Exposure to air or moisture over prolonged periods.

10.5 Incompatible materials

Materials to avoid

humid air and water Aluminum Acids Ammonium salts

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity						
Not classified based on available information.						
Skin corrosion/irri	ation					
Causes skin irritatio	٦.					
Product:						
Result	: Skin irritation					
Serious eye damage/eye irritation						
Causes serious eye damage.						
Respiratory or skin sensitization						
Skin sensitization						
Not classified based	on available information.					
Respiratory sensit	zation					
Not classified based	on available information.					

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Capatect ArmaReno 700

Version Revision Date: 3.0 09.02.2024

: SDS Number: 6021387

Date of last issue: 07.02.2023 Date of first issue: 14.10.2020

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

:

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Capatect ArmaReno 700



Version	Revision Date:	SDS Number:	Date of last issue: 07.02.2023
3.0	09.02.2024	6021387	Date of first issue: 14.10.2020

12.6 Endocrine disrupting properties

Product:

REACH Article 57(f) or Commission Delegated regulation	Assessment	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
--	------------	--

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Product		Can be landfilled after concentration, when in compliance with local regulations.
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.
Waste Code	:	used product 170904, mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
		unused product 170903*, other construction and demolition wastes (including mixed wastes) containing dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Capatect ArmaReno 700



Vers 3.0	sion	Revision Date: 09.02.2024		DS Number: 021387	Date of last issue: 07.02.2023 Date of first issue: 14.10.2020	
	ADR		:	: Not regulated as a dangerous good		
	RID		:	Not regulated as a dangerous good		
	IMDG		:	Not regulated as	a dangerous good	
	ΙΑΤΑ		:	Not regulated as	a dangerous good	
14.3	Trans	port hazard class(es)				
	ADN		:	Not regulated as	a dangerous good	
	ADR		:	Not regulated as	a dangerous good	
	RID		:	Not regulated as	a dangerous good	
	IMDG		:	Not regulated as	a dangerous good	
	ΙΑΤΑ		:	Not regulated as	a dangerous good	
14.4	Packi	ng group				
	ADN		:	Not regulated as	a dangerous good	
	ADR		:	Not regulated as	a dangerous good	
	RID		:	Not regulated as	a dangerous good	
	IMDG		:	Not regulated as	a dangerous good	
	IATA (Cargo)	:	Not regulated as	a dangerous good	
	IATA (Passenger)	:	Not regulated as	a dangerous good	
14.5 Environmental hazards						
Not regulated as a dangerous good						
14.6	Speci	al precautions for use	er			
	Remai	ks	:	Not classified as lations.	dangerous in the meaning of transport regu-	

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	None
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer	:	Not applicable

Capatect ArmaReno 700



Version 3.0	Revision Date: 09.02.2024	SDS 1 60213	Number: 387	Date of last issue: 07.02.2023 Date of first issue: 14.10.2020		
	lation (EU) 2019/1021 o (recast)	n persis	stent organic po	ollu- : Not applicable		
	REACH - List of substances subject to authorisation : None (Annex XIV)					
pean contro	so III: Directive 2012/18 Parliament and of the C ol of major-accident haz erous substances.	ouncil	on the	Not applicable		
Wate ny)	r hazard class (Germa-			vater endangering cording to AwSV, Annex 1 (5.2)		
		: ZF	P1 Products cor	ntaining cement, low in chromate		
Volati	le organic compounds	er	nissions (integr	5/EU of 24 November 2010 on industr rated pollution prevention and control) compounds (VOC) content: < 0,01 %		
Volati	le organic compounds	<	rective 2004/42 0.1 1 g/l	2/EC		

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements		
H315 H318 H335	:	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
Full text of other abbreviatio	ns	
Eye Dam. Skin Irrit. STOT SE 2004/37/EC	:	Serious eye damage Skin irritation Specific target organ toxicity - single exposure Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
2017/164/EU DE TRGS 900 2004/37/EC / TWA 2017/164/EU / STEL 2017/164/EU / TWA		Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values Germany. TRGS 900 - Occupational exposure limit values. Long term exposure limit Short term exposure limit Limit Value - eight hours
DE TRGS 900 / AGW	:	Time Weighted Average

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Capatect ArmaReno 700



Version	Revision Date:	SDS Number:	Date of last issue: 07.02.2023
3.0	09.02.2024	6021387	Date of first issue: 14.10.2020

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GMS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Coil Aviation Organization; IESC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration of 50% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Locel 3 Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation; CO- periation and Development; OPPTS - Office of Chemical Safety and Pollution Preve

Further information

Other information :	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network
Classification of the mixture:	Classification procedure:

	•••	••••••••••••••••••••••••••••••••••••••
Skin Irrit. 2	H315	Based on product data or assessment
Eye Dam. 1	H318	Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

Capatect ArmaReno 700



Version	Revision Date:	SDS Number:	Date of last issue: 07.02.2023
3.0	09.02.2024	6021387	Date of first issue: 14.10.2020

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN