

Mure	Muresko Basis 1								
Versio 2.1	n Revision Date: 15.05.2023	SDS Number: 6021982	Date of last issue: 15.03.2023 Date of first issue: 16.12.2020						
SECT	SECTION 1: Identification of the substance/mixture and of the company/undertaking								
1.1 Pr	oduct identifier								
T	rade name	: Muresko Basis	s 1						
1.2 Re	levant identified uses of t	he substance or m	ixture and uses advised against						
-	se of the Sub- ance/Mixture	: Water-borne c	oatings						
	ecommended restrictions n use	: within adequat	e application - none						
1.3 De	tails of the supplier of the	e safety data sheet							
С	ompany	: Caparol Farbe Roßdörfer Stra 64372 Ober-F							
	elephone elefax	: +496154710 : +49615471702							
E	/ebsite -mail address Responsi- le/issuing person	: : msds@dr-rmi.	com						
	nergency telephone								
Er	mergency telephone 1	: +49613284463	3 GBK GmbH						
SECTION 2: Hazards identification									
2.1 Cla	assification of the substa	nce or mixture							
	Classification (REGULATION (EC) No 1272/2008)Skin sensitization, Category 1H317: May cause an allergic skin reaction.								

2.2 Label elements

egory 3

Labeling (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Cat-

fects.

H412: Harmful to aquatic life with long lasting ef-



Muresko Basis 1

Versi 2.1	on Revision Da 15.05.2023		SDS Num 6021982		Date of last issue: 15.03. Date of first issue: 16.12.	
I	Hazard pictograms	:	(!			
ę	Signal Word	:	Warnin	g		
ł	Hazard Statements	:	H317 H412		n allergic skin reaction. quatic life with long lasti	ng effects.
I	Precautionary State	ments :	P101 label at P102	hand.	lvice is needed, have pro	oduct container or
			Prever	tion:		
			P262 P273 P280	Avoid releas	e eyes, on skin, or on clo e to the environment. tive gloves/ eye protectio	-
			Respo P302 + water.		N SKIN: Wash with plen	ty of soap and

Hazardous ingredients which must be listed on the label:

octhilinone (ISO) 1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Additional Labeling

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Muresko Basis 1

Version	Revision Date:	SDS Number:	Date of last issue: 15.03.2023
2.1	15.05.2023	6021982	Date of first issue: 16.12.2020

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Silicone resin paint, aqueous , with film protection

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 1 - < 10
octhilinone (ISO)	26530-20-1 247-761-7 613-112-00-5 01-2120768921-45	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % Acute toxicity esti- mate Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l Acute dermal toxicity:	>= 0,0025 - < 0,025



Muresko Basis 1

	15.05.2023	6021982 Dat	te of first issue: 16.12.2020	
terbutry	'n	886-50-0 212-950-5	311 mg/kg Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Skin Sens. 1; H317 M-Factor (Acute aquatic toxicity): 100	>= 0,0025
			M-Factor (Chronic aquatic toxicity): 100 	
			limit Skin Sens. 1; H317 >= 3 %	
1,2-ben	zisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330	>= 0,0025 0,025
			M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
			specific concentration limit Skin Sens. 1; H317 >= 0,05 %	
2-methy	ylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,0025 0,025



Muresko Basis 1

rsion	Revision Date: 15.05.2023	SDS 6021		te of last issue: 15.03.2023 te of first issue: 16.12.2020	
react	ion mass of 5-chloro-2- yl-2H-isothiazol-3-one yl-2H-isothiazol-3-one	and 2-	55965-84-9 613-167-00-5 01-2120764691-48	EUH071 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %	>= 0,0002 - 0,0015
	tances with a workplac (Mg3H2(SiO3)4)	e expos	sure limit : 14807-96-6		>= 1 - < 10
Taic			238-877-9 01-2120140278-58		/= 1 - < 10



Muresko Basis 1

Version	Revision Date:	SDS Number:	Date of last issue: 15.03.2023
2.1	15.05.2023	6021982	Date of first issue: 16.12.2020

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.	
If inhaled	:	Move to fresh air.	
In case of skin contact	:	Take off all contaminated clothing immediately. Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.	
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.	

4.2 Most important symptoms and effects, both acute and delayed

Risks	:	May cause an allergic skin reaction.
-------	---	--------------------------------------

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: No information available.

SECTION 5: Firefighting measures

5.1	Extinguishing	media
-----	---------------	-------

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing	:	None known.



Muresko Basis 1							
Version 2.1	Revision Date: 15.05.2023		DS Number: 021982	Date of last issue: 15.03.2023 Date of first issue: 16.12.2020			
media	a						
5.2 Specia	al hazards arising from	the	e substance or mi	xture			
Specific hazards during fire : fighting		:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).				
5.3 Advice	e for firefighters						
	ial protective equipment e-fighters	:	Wear self-contair essary.	ed breathing apparatus for firefighting if nec-			
Furth	er information	:		to cool unopened containers. ure for chemical fires. does not burn.			

SECTION 6: Accidental release measures

6.1 Personal precautions, prote	ctive equipment and emergency procedures
Personal precautions	 Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions	
Environmental precautions	 Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for co	ntainment and cleaning up
Methods for cleaning up	 Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1	Precautions	for	safe	handling
-----	-------------	-----	------	----------

Advice on safe handling	: Use only with adequate ventilation.
	For personal protection see section 8.
	No special technical protective measures required.

. . .

DE / EN

_ _



Mures	sko Basis 1			
Version 2.1	Revision Date: 15.05.2023		DS Number: 121982	Date of last issue: 15.03.2023 Date of first issue: 16.12.2020
Нус	iene measures	:	and its application Wash hands beford rink or smoke with	urrent technical information for this product n on www.caparol.com must be observed. ore eating, drinking, or smoking. Do not eat, hen using this product. Remove contaminat- rotective equipment before entering eating
7.2 Con	ditions for safe storage,	inc	luding any incom	patibilities
	quirements for storage as and containers	:	in heat or direct s original container	en. To maintain product quality, do not store sunlight. Store at room temperature in the c. Containers which are opened must be care- d kept upright to prevent leakage.
Adv	rice on common storage	:	Keep away from materials.	oxidizing agents and strongly acid or alkaline
Sto	rage class (TRGS 510)	:	12	
•	c ific end use(s) cific use(s)	:	This information i	s not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900		
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					
		AGW (Alveolate	1,25 mg/m3	DE TRGS		
		fraction)	(Titanium dioxide)	900		
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological					
	tolerance valu	ies, there is no risk c	f harming the unborn child			



Muresko Basis 1

Version Revision Da 2.1 15.05.2023		te: SDS Number: 6021982		Date of last issue: 15.03.2023 Date of first issue: 16.12.2020			
			BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527		
Talc (Mg3H	H2(SiO3)4)	14807-96-6	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900		
		Peak-limit cat	egory: 2;(II)				
		Further inform	nation: When there	is compliance with the O	EL and biological		
		tolerance values, there is no risk of harming the unborn child					
			AGW (Alveolate	1,25 mg/m3	DE TRGS		
			fraction)		900		
		Peak-limit category: 2;(II)					
		Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					
			BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527		
octhili	none (ISO)	26530-20-1	AGW (Inhalable fraction)	0,05 mg/m3	DE TRGS 900		
		Peak-limit category: 2;(I)					
		Further information: Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
calcium carbonate	Consumers	Ingestion	Long-term systemic effects	6,10 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Consumers	Ingestion	Acute systemic ef- fects	6,10 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
Kaolin, calcined	Workers	Inhalation	Acute systemic ef- fects	3,00 mg/m3
	Workers	Inhalation	Acute local effects	3,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	3,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	3,00 mg/m3
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter \leq 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
Silicic acid, aluminum sodium salt	Workers	Inhalation	Long-term local ef- fects	4,00 mg/m3
1-(2-butoxy-1-	Consumers	Inhalation	Long-term systemic	1,20 mg/m3



Muresko Basis 1

Vers 2.1	sion	Revision Date:SDS Number15.05.20236021982			Date of last issue: 15.03.2023 Date of first issue: 16.12.2020	
	methyl 2-ol	lethoxy)propan-			effects	
			Consumers	Ingestion	Long-term systemic effects	7,50 mg/kg bw/day
			Consumers	Skin contac	ct Long-term systemic effects	1,10 mg/kg bw/day
			Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
			Workers	Skin contac	ct Long-term systemic effects	3,00 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
calcium carbonate	Sewage treatment plant	100 mg/l
Kaolin, calcined	Intermittent use/release	25 mg/l
	Fresh water	4,1 mg/l
	Sea water	0,41 mg/l
	Sewage treatment plant	1400 mg/l
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l
1-(2-butoxy-1- methylethoxy)propan-2-ol	Sewage treatment plant	100 mg/l
	Fresh water	0,519 mg/l
	Soil	0,287 mg/kg dry weight (d.w.)
	Intermittent use/release	5,19 mg/l
	Fresh water sediment	2,96 mg/kg dry weight (d.w.)
	Sea water	0,0519 mg/l
	Sea sediment	0,296 mg/kg dry weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye/face protection

: DGUV Regulation 112-192 - Use of eye and face protection

Goggles



Muresko Basis 1

Version 2.1	Revision Date: 15.05.2023		DS Number: 021982	Date of last issue: 15.03.2023 Date of first issue: 16.12.2020		
Hand protection Material Glove thickness Protective index		:	Nitrile rubber 0,2 mm Class 3			
Remarks		:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves			
Skin and body protection		:	Safety shoes Long sleeved clothing			
				tection according to the amount and con- dangerous substance at the work place.		
			ashed after contact.			
Respiratory protection				h contaminated clothing before re-use. lication: impervious clothing		
		:	No personal resp quired.	iratory protective equipment normally re-		
			DGUV Regulation	n 112-190 - Use of breathing equipment		
				lication: Do not breathe spray dust. Use on filter for paint spraying.		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined



Muresko Basis 1

Vers 2.1	sion	Revision Date: 15.05.2023		S Number: 21982	Date of last issue: 15.03.2023 Date of first issue: 16.12.2020	
	Flash p	oint	:	Not applicable		
	Autoigr	nition temperature	:	not determined		
	Decom	position temperature	:	Not applicable		
	рН		:	8 - 9 Concentration: 100 %		
	Viscosi Visc	ty cosity, dynamic	:	No data availabl	e	
	Solubility(ies) Water solubility		:	completely misc	ble	
	Partitio octanol	n coefficient: n- /water	:	not determined		
	Vapor p	pressure	:	ca. 23,4 hPa (20	°C)	
	Density	,	:	1,4700 g/cm3		
	Relative	e vapor density	:	not determined		
9.2 (Other in Explosi	formation ves	:	Not applicable		
	Oxidizir	ng properties	:	Not applicable		
	Flamma	ability (liquids)	:	The product is n	ot flammable.	
	Evapor	ation rate	:	Not applicable		

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.



Muresko Basis 1

	ssue: 15.03.2023 ssue: 16.12.2020
--	--------------------------------------

10.5 Incompatible materials

Materials to avoid

: Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:		
octhilinone (ISO):		
Acute oral toxicity :	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (No. 1272/2008	(EC)
Acute inhalation toxicity :	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (No. 1272/2008	(EC)
Acute dermal toxicity :	Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (No. 1272/2008	(EC)
terbutryn:		
Acute oral toxicity	LD50 Oral (Rat): > 300 mg/kg	
Acute dermal toxicity :	LD50 Dermal (Rat): > 2.000 mg/kg	
1,2-benzisothiazol-3(2H)-one:		
	LD50 (Rat): 532 mg/kg	
Acute inhalation toxicity :	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity :	LD50 (Rat): > 2.000 mg/kg	

2-methylisothiazol-3(2H)-one:



Muresko Basis 1

ersion 1	Revision Date: 15.05.2023	SDS Number: 6021982	Date of last issue: 15.03.2023 Date of first issue: 16.12.2020
Acute	oral toxicity	: LD50 (Rat):	120 mg/kg
Acute inhalation toxicity		: LC50 (Rat): Exposure tir Test atmosp	
react (3:1):		-2-methyl-2H-isot	hiazol-3-one and 2-methyl-2H-isothiazol-3-one
• •	oral toxicity	: LD50 (Rat): Method: OE	66 mg/kg CD Test Guideline 401
Acute	inhalation toxicity		
Acute	e dermal toxicity	: LD50 (Rat): Method: OE	> 141 mg/kg CD Test Guideline 402
-	corrosion/irritation assified based on ava	ilable information.	
	us eye damage/eye i assified based on ava		
Resp	iratory or skin sensi	tization	
-	sensitization cause an allergic skin	reaction.	
-	iratory sensitization assified based on ava	ilable information.	
	a cell mutagenicity assified based on ava	ilable information.	
	nogenicity assified based on ava	ilable information.	
-	oductive toxicity assified based on ava	ilable information.	
	-single exposure assified based on ava	ilable information.	
STOT	-repeated exposure assified based on ava		
Aspir	assilied based on availant to a solution toxicity lassified based on availant to a solution to a solutionte a solution to a solution to a solu		



Mures	ko Basis 1		
Version 2.1	Revision Date: 15.05.2023	SDS Number: 6021982	Date of last issue: 15.03.2023 Date of first issue: 16.12.2020
11.2 Infor	mation on other haza	ards	
Endo	ocrine disrupting pro	perties	
Prod	<u>uct:</u>		
Asse	ssment	ered to have e REACH Article	e/mixture does not contain components consid- indocrine disrupting properties according to a 57(f) or Commission Delegated regulation 00 or Commission Regulation (EU) 2018/605 at or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product: Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna Straus (Water flea)): > 10 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: no
Toxicity to algae/aquatic : plants	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: Cell multiplication inhibition test Method: OECD Test Guideline 201 GLP: no
Ecotoxicology Assessment Chronic aquatic toxicity :	Harmful to aquatic life with long lasting effects.
Components:	
octhilinone (ISO): M-Factor (Acute aquatic tox- : icity)	100
M-Factor (Chronic aquatic : toxicity)	100
terbutryn: M-Factor (Acute aquatic tox- : icity)	100
	15 / 22



Mu	resko	Basis 1			
Vers 2.1	ion	Revision Date: 15.05.2023		OS Number: 21982	Date of last issue: 15.03.2023 Date of first issue: 16.12.2020
	M-Facto toxicity)	or (Chronic aquatic	:	100	
	1,2-ber	nzisothiazol-3(2H)-on	e:		
	Toxicity	r to fish	:	LC50 (Oncorhync Exposure time: 96 Method: OECD Te	
		to daphnia and other invertebrates	:	EC50 (Daphnia): 3 Exposure time: 48 Method: OECD Te	3 h
	Toxicity plants	v to algae/aquatic	:	EC50 (Selenastru Exposure time: 72 Method: OECD Te	
	M-Facto icity)	or (Acute aquatic tox-	:	1	
	M-Facto toxicity)	or (Chronic aquatic	:	1	
	2-meth	ylisothiazol-3(2H)-on	e:		
	M-Facto icity)	or (Acute aquatic tox-	:	10	
	M-Facto toxicity)	or (Chronic aquatic	:	1	
	reactio (3:1):	n mass of 5-chloro-2-	-me	thyl-2H-isothiazol	-3-one and 2-methyl-2H-isothiazol-3-one
	M-Facto icity)	or (Acute aquatic tox-	:	100	
	M-Facto toxicity)	or (Chronic aquatic	:	100	
12.2		tence and degradabil	ity		
12.3	Bioacc	umulative potential			
	Compo	onents:			
		n one (ISO): n coefficient: n- /water	:	log Pow: 2,92 Method: OECD Te	est Guideline 117

Waste Code



/ersion	Revision Date:		DS Number:	Date of last issue: 15.03.2023
2.1	15.05.2023	60	21982	Date of first issue: 16.12.2020
terbu	ıtryn:			
Partit	ion coefficient: n- ol/water	:	log Pow: 3,66	
react (3:1):		2-me	ethyl-2H-isothiaz	ol-3-one and 2-methyl-2H-isothiazol-3-one
	ion coefficient: n- ol/water	:		1 Test Guideline 117
	ility in soil ata available			
12.5 Resu	Ilts of PBT and vPvB a	asse	ssment	
Prod	uct:			
Asse	ssment	:		mixture contains no components considered sistent, bioaccumulative and toxic (PBT), or
			very persistent a 0.1% or higher.	and very bioaccumulative (vPvB) at levels of
12.6 Endo	ocrine disrupting prop	ertie	0.1% or higher.	and very bioaccumulative (vPvB) at levels of
Prod	uct:	ertie	0.1% or higher.	
Prod		ertie :	0.1% or higher.	mixture does not contain components consid- docrine disrupting properties according to 57(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at
<u>Prod</u> Asse	uct:	ertie :	0.1% or higher. S The substance/ ered to have en REACH Article (EU) 2017/2100	mixture does not contain components consid- docrine disrupting properties according to 57(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at
<u>Prod</u> Asse	uct: ssment er adverse effects	ertie :	0.1% or higher. S The substance/ ered to have en REACH Article (EU) 2017/2100	mixture does not contain components consid- docrine disrupting properties according to 57(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at
<u>Prod</u> Asse 12.7 Othe <u>Prod</u>	uct: ssment r adverse effects uct: ional ecological infor-	ertie :	0.1% or higher. The substance// ered to have en REACH Article = (EU) 2017/2100 levels of 0.1% of Harmful to aqua	mixture does not contain components consid- docrine disrupting properties according to 57(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at
Prod Asse 12.7 Othe Prod Addit matic	uct: ssment r adverse effects uct: ional ecological infor-	:	0.1% or higher. ES The substance/ ered to have en REACH Article 3 (EU) 2017/2100 levels of 0.1% of Harmful to aqua effects in the aqua	mixture does not contain components consid- docrine disrupting properties according to 57(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at r higher.
Prod Asse 12.7 Othe <u>Prod</u> Addit matic	uct: ssment er adverse effects uct: ional ecological infor- on	:	0.1% or higher. ES The substance/ ered to have en REACH Article 3 (EU) 2017/2100 levels of 0.1% of Harmful to aqua effects in the aqua	mixture does not contain components consid- docrine disrupting properties according to 57(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at r higher.
Prod Asse 12.7 Othe <u>Prod</u> Addit matic	uct: ssment er adverse effects uct: ional ecological infor- on N 13: Disposal consi te treatment methods	:	0.1% or higher. ES The substance/ ered to have en REACH Article 3 (EU) 2017/2100 levels of 0.1% of Harmful to aqua effects in the aqua	mixture does not contain components consid- docrine disrupting properties according to 57(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at r higher.
Prod Asse 12.7 Othe Prod Addit matic SECTION	uct: ssment er adverse effects uct: ional ecological infor- on N 13: Disposal consi te treatment methods	:	0.1% or higher. The substance/ ered to have en REACH Articles (EU) 2017/2100 levels of 0.1% of Harmful to aqua effects in the aqua ations	mixture does not contain components consid- docrine disrupting properties according to 57(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at r higher.

: used product



Version 2.1	Revision Date: 15.05.2023		S Number: 1982	Date of last issue: 15.03.2023 Date of first issue: 16.12.2020	
			080112, waste in 08 01 11*	paint and varnish other than those mentioned	
SECTION 14: Transport information					
14.1 UN n	umber or ID number				
ADN		:	Not regulated a	as a dangerous good	
ADR		:	Not regulated a	as a dangerous good	
RID		:	Not regulated a	as a dangerous good	
IMDG		:	Not regulated a	as a dangerous good	
ΙΑΤΑ		:	Not regulated a	as a dangerous good	
14.2 UN p	roper shipping name				
ADN		:	Not regulated a	as a dangerous good	
ADR		:	Not regulated a	as a dangerous good	
RID		:	Not regulated a	as a dangerous good	
IMDG		:	Not regulated a	as a dangerous good	
ΙΑΤΑ		:	Not regulated a	as a dangerous good	
14.3 Trans	sport hazard class(es	5)			
ADN		:	Not regulated a	as a dangerous good	
ADR		:	Not regulated a	as a dangerous good	
RID		:	Not regulated a	as a dangerous good	
IMDG		:	Not regulated a	as a dangerous good	
ΙΑΤΑ		:	Not regulated a	as a dangerous good	
14.4 Pack	ing group				
ADN		:	Not regulated a	as a dangerous good	
ADR		:	Not regulated a	as a dangerous good	
RID		:	Not regulated a	as a dangerous good	
IMDG		:	Not regulated a	as a dangerous good	
ΙΑΤΑ	(Cargo)	:	Not regulated a	as a dangerous good	
ΙΑΤΑ	(Passenger)	:	Not regulated a	as a dangerous good	

14.6 Special precautions for user



Muresk	o Basis 1			
Version 2.1	Revision Date: 15.05.2023	SDS Number: 6021982		last issue: 15.03.2023 first issue: 16.12.2020
Rema	arks	: Not classified a lations.	as dangerou	us in the meaning of transport regu-
	ime transport in bull pplicable for product a	k according to IMO in as supplied.	nstruments	
SECTION	I 15: Regulatory in	formation		
15.1 Safet ture	y, health and enviro	nmental regulations/	legislation	specific for the substance or mix-
REAC the m		e manufacture, placin in dangerous substan x XVII)		Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
				formaldehyde (Number on list 72, 28)
	CH - Candidate List of ern for Authorization (Substances of Very H Article 59).	igh :	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
	lation (EC) No 1005/2 the ozone layer	009 on substances tha	at de- :	Not applicable
•	lation (EU) 2019/1021 (recast)	on persistent organic	pollu- :	Not applicable
	CH - List of substances ex XIV)	s subject to authorisati	on :	None
pean contro	so III: Directive 2012/1 Parliament and of the of major-accident ha erous substances.	Council on the	Not	applicable
Watei ny)	r hazard class (Germa			angering AwSV, Annex 1 (5.2)
	ict code for laquers ar s / Giscode	nd : M-SF01F Wate	er-based, si	licone resin paints, active agents
		: BSW50 Coatin film-protected	g materials	, water-based, containing solvents,



Muresko Basis 1

Version	Revision Date:	SDS Number:	Date of last issue: 15.03.2023
2.1	15.05.2023	6021982	Date of first issue: 16.12.2020

Volatile organic compounds

: Directive 2004/42/EC < 3 % < 40 g/l

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements		
		Table if an allowed
H301	•	Toxic if swallowed.
H302	•	Harmful if swallowed.
H310	:	Fatal in contact with skin.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H351	:	Suspected of causing cancer if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
EUH071	:	Corrosive to the respiratory tract.
Full text of other abbreviation	ns	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Carc.	:	Carcinogenicity
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.		Skin sensitization
DE TRGS 527		Germany. TRGS 527 - Activities with nanomaterials
DE TRGS 900		Germany. TRGS 900 - Occupational exposure limit values.
DE TRGS 527 / BM	:	Assessment scale
DE TRGS 900 / AGW	:	Time Weighted Average
	•	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community num-



Muresko Basis 1

Version	Revision Date:	SDS Number:	Date of last issue: 15.03.2023
2.1	15.05.2023	6021982	Date of first issue: 16.12.2020

ber; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISCL - Industrial Safety and Health Law (Japan); ISO - International Ose to 50% of a test population (Median Lethal Dose); MARPOL - International Inventory; LC50 - Lethal Concentration for Olymerition for Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Of Cie of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals aud the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; VPW - Very Persistent and Very Bioaccumulative

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,

Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the mixture:		Classification procedure:
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Muresko Basis 1

Version	Revision Date:	SDS Number:	Date of last issue: 15.03.2023
2.1	15.05.2023	6021982	Date of first issue: 16.12.2020

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN